

i am  since 1754

PRICE LIST

EDITION 09 | 2025

GAS INSERTS AND STOVES

Possible combustion chamber-internal interiors




Black smooth



Ceraglas, black



Matt black



Rib-Cast



Classic stone

Possible decorative burner elements



Log set brown



Anthracite glass



Carrar stones



Greystone stones



Log set white

Note:

Please check the price list for availability of the decorative burner elements.











Not every variant is available for each model.

This price list cancels and replaces all previous price lists.

Colours may differ slightly from actual colours, due to the printing process. Subject to technological and colour modifications. Errors excepted.

Prices excl. VAT

Table of contents

	Contents	Page
	Front models	4
	Tunnel fireplaces	16
	2-sided fireplaces	22
	3-sided fireplaces	36
	3-sided fireplaces XTL	44
	3-sided fireplaces XTU	46
	Front models Global RLU	49
	2-sided Global fireplaces RLU	53
	3-sided Global fireplaces RLU	57
	Stoves	59
	Accessories	64



Front models

Maestro 60 RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1064315	4,972.00	1064333	5,963.00
	Black smooth, CV-glass	1064318	5,141.00	1064336	6,133.00
	Black smooth, LED	1064351	5,391.00	1064370	6,382.00
	Black smooth, LED, CV-glass	1064355	5,560.00	1064373	6,551.00
	Black Ceraglas	1064321	5,544.00	1064339	6,535.00
	Black Ceraglas, CV-glass	1064324	5,714.00	1064342	6,705.00
	Black Ceraglas, LED	1064358	5,963.00	1064376	6,954.00
	Black Ceraglas, LED, CV-glass	1064361	6,133.00	1064379	7,124.00
	Classic stone	1064327	5,459.00	1064345	6,451.00
	Classic stone, CV-glass	1064330	5,629.00	1064348	6,620.00
	Classic stone, LED	1064364	5,878.00	1064382	6,869.00
	Classic stone, LED, CV-glass	1064367	6,048.00	1064385	7,039.00
	Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1064316	4,972.00	1064334
Black smooth, CV-glass		1064319	5,141.00	1064337	6,133.00
Black smooth, LED		1064353	5,391.00	1064371	6,382.00
Black smooth, LED, CV-glass		1064356	5,560.00	1064374	6,551.00
Black Ceraglas		1064322	5,544.00	1064340	6,535.00
Black Ceraglas, CV-glass		1064325	5,714.00	1064343	6,705.00
Black Ceraglas, LED		1064359	5,963.00	1064377	6,954.00
Black Ceraglas, LED, CV-glass		1064362	6,133.00	1064380	7,124.00
Classic stone		1064328	5,459.00	1064346	6,451.00
Classic stone, CV-glass		1064331	5,629.00	1064349	6,620.00
Classic stone, LED		1064365	5,878.00	1064383	6,869.00
Classic stone, LED, CV-glass		1064368	6,048.00	1064386	7,039.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW		Black smooth	1064317	4,972.00	1064335
	Black smooth, CV-glass	1064320	5,141.00	1064338	6,133.00
	Black smooth, LED	1064354	5,391.00	1064372	6,382.00
	Black smooth, LED, CV-glass	1064357	5,560.00	1064375	6,551.00
	Black Ceraglas	1064323	5,544.00	1064341	6,535.00
	Black Ceraglas, CV-glass	1064326	5,714.00	1064344	6,705.00
	Black Ceraglas, LED	1064360	5,963.00	1064378	6,954.00
	Black Ceraglas, LED, CV-glass	1064363	6,133.00	1064381	7,124.00
	Classic stone	1064329	5,459.00	1064347	6,451.00
	Classic stone, CV-glass	1064332	5,629.00	1064350	6,620.00
	Classic stone, LED	1064366	5,878.00	1064384	6,869.00
	Classic stone, LED, CV-glass	1064369	6,048.00	1064387	7,039.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 110 mm, Build in depth 70 mm	1065114	311.00
	4-sided, W = 140 mm, Build in depth 100 mm	1065116	347.00
	4-sided, Custom made	1065118	891.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 60 RCH LED	1075481	186.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

Maestro 60 Tall RCH



also available with PowerVent (PV)



Included in the scope of supply

- Log set, brown
- Operating door no. 1021226
- Gas fitting and receiver for remote control integrated in the appliance
- RCH remote control

Important

- 230V electrical connection required!
- For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1071777	5,677.00	1071799	6,668.00
	Black smooth, CV-glass	1071781	5,899.00	1071803	6,890.00
	Black smooth, LED	1071815	6,095.00	1071832	7,087.00
	Black smooth, LED, CV-glass	1071819	6,318.00	1071836	7,309.00
	Black Ceraglas	1071785	6,387.00	1071807	7,378.00
	Black Ceraglas, CV-glass	1071789	6,610.00	1071811	7,601.00
	Black Ceraglas, LED	1071823	6,806.00	1071840	7,797.00
	Black Ceraglas, LED, CV-glass	1071827	7,028.00	1071844	8,019.00
	Matt glass	1073096	6,387.00	1073104	7,378.00
	Matt glass, CV-glass	1073102	6,610.00	1073106	7,601.00
	Matt glass, LED	1073108	6,806.00	1073113	7,797.00
	Matt glass, LED, CV-glass	1073110	7,028.00	1073115	8,019.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1071778	5,677.00	1071800	6,668.00
	Black smooth, CV-glass	1071782	5,899.00	1071804	6,890.00
	Black smooth, LED	1071816	6,095.00	1071833	7,087.00
	Black smooth, LED, CV-glass	1071820	6,318.00	1071837	7,309.00
	Black Ceraglas	1071786	6,387.00	1071808	7,378.00
	Black Ceraglas, CV-glass	1071790	6,610.00	1071812	7,601.00
	Black Ceraglas, LED	1071824	6,806.00	1071841	7,797.00
	Black Ceraglas, LED, CV-glass	1071828	7,028.00	1071845	8,019.00
	Matt glass	1073228	6,387.00	1073231	7,378.00
	Matt glass, CV-glass	1073230	6,610.00	1073232	7,601.00
	Matt glass, LED	1073233	6,806.00	1073235	7,797.00
	Matt glass, LED, CV-glass	1073234	7,028.00	1073236	8,019.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1071779	5,677.00	1071801	6,668.00
	Black smooth, CV-glass	1071783	5,899.00	1071805	6,890.00
	Black smooth, LED	1071817	6,095.00	1071834	7,087.00
	Black smooth, LED, CV-glass	1071821	6,318.00	1071838	7,309.00
	Black Ceraglas	1071787	6,387.00	1071809	7,378.00
	Black Ceraglas, CV-glass	1071791	6,610.00	1071813	7,601.00
	Black Ceraglas, LED	1071825	6,806.00	1071842	7,797.00
	Black Ceraglas, LED, CV-glass	1071829	7,028.00	1071846	8,019.00
	Matt glass	1073097	6,387.00	1073105	7,378.00
	Matt glass, CV-glass	1073103	6,610.00	1073107	7,601.00
	Matt glass, LED	1073109	6,806.00	1073114	7,797.00
	Matt glass, LED, CV-glass	1073112	7,028.00	1073116	8,019.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 110 mm, Build in depth 70 mm	1071848	344.00
	4-sided, W = 140 mm, Build in depth 100 mm	1071849	380.00
	4-sided, Custom made	1071850	924.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 60 Tall RCH LED	1075481	186.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



Front models

Maestro 75 RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.3 - 9.0 kW	Black smooth	1038333	5,746.00	1056876	6,737.00
	Black smooth, CV-glass	1038335	6,000.00	1056879	6,991.00
	Black smooth, LED	1069665	6,164.00	1069710	7,155.00
	Black smooth, LED, CV-glass	1069669	6,419.00	1069713	7,410.00
	Black Ceraglas	1038337	6,318.00	1056882	7,309.00
	Black Ceraglas, CV-glass	1038339	6,572.00	1056885	7,564.00
	Black Ceraglas, LED	1069672	6,737.00	1069716	7,728.00
	Black Ceraglas, LED, CV-glass	1069675	6,991.00	1069719	7,982.00
	Classic stone	1041522	6,233.00	1056888	7,224.00
	Classic stone, CV-glass	1041524	6,488.00	1056891	7,479.00
	Classic stone, LED	1069678	6,652.00	1069724	7,643.00
	Classic stone, LED, CV-glass	1069681	6,906.00	1069727	7,897.00
	Rib-Cast	1075694	6,318.00	1075707	7,309.00
	Rib-Cast, CV-glass	1075699	6,572.00	1075711	7,564.00
	Rib-Cast, LED	1075717	6,737.00	1075601	6,991.00
	Rib-Cast, LED, CV-glass	1075720	6,991.00	1075736	7,982.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.2 - 8.6 kW	Black smooth	1038334	5,746.00	1056877	6,737.00
	Black smooth, CV-glass	1038336	6,000.00	1056880	6,991.00
	Black smooth, LED	1069666	6,164.00	1069711	7,155.00
	Black smooth, LED, CV-glass	1069670	6,419.00	1069714	7,410.00
	Black Ceraglas	1038338	6,318.00	1056883	7,309.00
	Black Ceraglas, CV-glass	1038340	6,572.00	1056886	7,564.00
	Black Ceraglas, LED	1069673	6,737.00	1069717	7,728.00
	Black Ceraglas, LED, CV-glass	1069676	6,991.00	1069721	7,982.00
	Classic stone	1041523	6,233.00	1056889	7,224.00
	Classic stone, CV-glass	1041525	6,488.00	1056892	7,479.00
	Classic stone, LED	1069679	6,652.00	1069725	7,643.00
	Classic stone, LED, CV-glass	1069682	6,906.00	1069728	7,897.00
	Rib-Cast	1075696	6,318.00	1075708	7,309.00
	Rib-Cast, CV-glass	1075705	6,572.00	1075714	7,564.00
	Rib-Cast, LED	1075718	6,737.00	1075734	7,728.00
	Rib-Cast, LED, CV-glass	1075726	6,991.00	1075740	7,982.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.3 - 7.9 kW	Black smooth	1063322	5,746.00	1063329	6,737.00
	Black smooth, CV-glass	1063323	6,000.00	1063330	6,991.00
	Black smooth, LED	1069667	6,164.00	1069712	7,155.00
	Black smooth, LED, CV-glass	1069671	6,419.00	1069715	7,410.00
	Black Ceraglas	1063324	6,318.00	1063331	7,309.00
	Black Ceraglas, CV-glass	1063325	6,572.00	1063332	7,564.00
	Black Ceraglas, LED	1069674	6,737.00	1069718	7,728.00
	Black Ceraglas, LED, CV-glass	1069677	6,991.00	1069723	7,982.00
	Classic stone	1063326	6,233.00	1063333	7,224.00
	Classic stone, CV-glass	1063328	6,488.00	1063334	7,479.00
	Classic stone, LED	1069680	6,652.00	1069726	7,643.00
	Classic stone, LED, CV-glass	1069709	6,906.00	1069729	7,897.00
	Rib-Cast	1075594	6,318.00	1075597	7,309.00
	Rib-Cast, CV-glass	1075596	6,572.00	1075598	7,564.00
	Rib-Cast, LED	1075599	6,737.00	1075602	7,728.00
	Rib-Cast, LED, CV-glass	1075601	6,991.00	1075603	7,982.00



Maestro 75 RCH

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 100 mm, Build in depth 70 mm	1071366	344.00
	4-sided, W = 130 mm, Build in depth 100 mm	1071367	380.00
	4-sided, Custom made	1071368	924.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 75 RCH LED	1075483	219.00
Wall panel	Rib-Cast 697 x 300 mm	1076627	193.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Front models

Maestro 75 Tall RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.7 - 9.2 kW	Black Ceraglas	1068627	8,019.00	1068635	9,010.00
	Black Ceraglas, CV-glass	1068631	8,475.00	1068639	9,466.00
	Black Ceraglas, LED	1068644	8,438.00	1068653	9,429.00
	Black Ceraglas, LED, CV-glass	1068649	8,894.00	1068659	9,885.00
	Matt glass	1071042	8,019.00	1071048	9,010.00
	Matt glass, CV-glass	1071045	8,475.00	1071051	9,466.00
	Matt glass, LED	1071054	8,438.00	1071064	9,429.00
	Matt glass, LED, CV-glass	1071057	8,894.00	1071074	9,885.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.5 - 8.7 kW	Black Ceraglas	1068628	8,019.00	1068637	9,010.00
	Black Ceraglas, CV-glass	1068632	8,475.00	1068641	9,466.00
	Black Ceraglas, LED	1068646	8,438.00	1068656	9,429.00
	Black Ceraglas, LED, CV-glass	1068650	8,894.00	1068660	9,885.00
	Matt glass	1071043	8,019.00	1071049	9,010.00
	Matt glass, CV-glass	1071046	8,475.00	1071052	9,466.00
	Matt glass, LED	1071055	8,438.00	1071065	9,429.00
	Matt glass, LED, CV-glass	1071060	8,894.00	1071075	9,885.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.5 - 8.2 kW	Black Ceraglas	1068629	8,019.00	1068638	9,010.00
	Black Ceraglas, CV-glass	1068633	8,475.00	1068642	9,466.00
	Black Ceraglas, LED	1068647	8,438.00	1068657	9,429.00
	Black Ceraglas, LED, CV-glass	1068652	8,894.00	1068662	9,885.00
	Black Ceraglas	1071044	8,019.00	1071050	9,010.00
	Black Ceraglas, CV-glass	1071047	8,475.00	1071053	9,466.00
	Black Ceraglas, LED	1071056	8,438.00	1071066	9,429.00
	Black Ceraglas, LED, CV-glass	1071062	8,894.00	1071076	9,885.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 100 mm, Build in depth 70 mm	1069760	474.00
	4-sided, W = 130 mm, Build in depth 100 mm	1069761	510.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 75 Tall RCH LED	1075483	219.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

Front models

Maestro 100 RCH

also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.3 - 10.0 kW	Black smooth	1046278	6,684.00	1060620	7,675.00
	Black smooth, CV-glass	1046281	7,018.00	1060623	8,009.00
	Black smooth, LED	1072090	7,102.00	1072103	8,094.00
	Black smooth, LED, CV-glass	1072092	7,436.00	1072105	8,427.00
	Black Ceraglas	1046285	7,394.00	1060626	8,385.00
	Black Ceraglas, CV-glass	1046288	7,728.00	1060629	8,719.00
	Black Ceraglas, LED	1072094	7,813.00	1072107	8,804.00
	Black Ceraglas, LED, CV-glass	1072096	8,147.00	1072109	9,138.00
	Classic stone	1046291	7,171.00	1060632	8,162.00
	Classic stone, CV-glass	1046296	7,505.00	1060635	8,496.00
	Classic stone, LED	1072098	7,590.00	1072111	8,581.00
	Classic stone, LED, CV-glass	1072100	7,924.00	1072113	8,915.00
	Rib-Cast	1075993	7,394.00	1075997	8,385.00
	Rib-Cast, CV-glass	1075995	7,728.00	1076000	8,719.00
	Rib-Cast, LED	1076002	7,813.00	1076006	8,804.00
	Rib-Cast, LED, CV-glass	1076004	8,147.00	1076008	9,138.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.9 - 9.3 kW	Black smooth	1046279	6,684.00	1060621	7,675.00
	Black smooth, CV-glass	1046283	7,018.00	1060624	8,009.00
	Black smooth, LED	1072091	7,102.00	1072104	8,094.00
	Black smooth, LED, CV-glass	1072093	7,436.00	1072106	8,427.00
	Black Ceraglas	1046286	7,394.00	1060627	8,385.00
	Black Ceraglas, CV-glass	1046289	7,728.00	1060630	8,719.00
	Black Ceraglas, LED	1072095	7,813.00	1072108	8,804.00
	Black Ceraglas, LED, CV-glass	1072097	8,147.00	1072110	9,138.00
	Classic stone	1046294	7,171.00	1060633	8,162.00
	Classic stone, CV-glass	1046299	7,505.00	1060636	8,496.00
	Classic stone, LED	1072099	7,590.00	1072112	8,581.00
	Classic stone, LED, CV-glass	1072102	7,924.00	1072114	8,915.00
	Rib-Cast	1075994	7,394.00	1075998	8,385.00
	Rib-Cast, CV-glass	1075996	7,728.00	1076001	8,719.00
	Rib-Cast, LED	1076003	7,813.00	1076007	8,804.00
	Rib-Cast, LED, CV-glass	1076005	8,147.00	1076009	9,138.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 2.3 - 10.2 kW	Black smooth	1062559	6,684.00	1062577	7,675.00
	Black smooth, CV-glass	1062560	7,018.00	1062578	8,009.00
	Black smooth, LED	1071507	7,102.00	1071514	8,094.00
	Black smooth, LED, CV-glass	1071509	7,436.00	1071515	8,427.00
	Black Ceraglas	1062573	7,394.00	1062579	8,385.00
	Black Ceraglas, CV-glass	1062574	7,728.00	1062580	8,719.00
	Black Ceraglas, LED	1071510	7,813.00	1071516	8,804.00
	Black Ceraglas, LED, CV-glass	1071511	8,147.00	1071517	9,138.00
	Classic stone	1062575	7,171.00	1062581	8,162.00
	Classic stone, CV-glass	1062576	7,505.00	1062582	8,496.00
	Classic stone, LED	1071512	7,590.00	1071518	8,581.00
	Classic stone, LED, CV-glass	1071513	7,924.00	1071519	8,915.00
	Rib-Cast	1075650	7,394.00	1075652	8,385.00
	Rib-Cast, CV-glass	1075651	7,728.00	1075654	8,719.00
	Rib-Cast, LED	1075656	7,813.00	1075659	8,804.00
	Rib-Cast, LED, CV-glass	1075657	8,147.00	1075660	9,138.00

DRU | Gas inserts and stoves 9



Front models

Maestro 100 RCH

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 100 mm, Build in depth 70 mm	1071376	384.00
	4-sided, W = 130 mm, Build in depth 100 mm	1071377	420.00
	4-sided, Custom made	1071378	964.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 100 RCH LED	1075487	240.00
Wall panel	Rib-Cast 697 x 300 mm	1076627	193.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Metro 100XT-41 RCH



also available with PowerVent (PV)



Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033784	5,311.00	1056912	6,302.00
	Black smooth, CV-glass	1054240	5,518.00	1056915	6,509.00
	Black Ceraglas	1033787	5,883.00	1056918	6,875.00
	Black Ceraglas, CV-glass	1054243	6,090.00	1056921	7,081.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033785	5,311.00	1056913	6,302.00
	Black smooth, CV-glass	1054241	5,518.00	1056916	6,509.00
	Black Ceraglas	1033788	5,883.00	1056919	6,875.00
	Black Ceraglas, CV-glass	1054244	6,090.00	1056922	7,081.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033786	5,311.00	1056914	6,302.00
	Black smooth, CV-glass	1054242	5,518.00	1056917	6,509.00
	Black Ceraglas	1033789	5,883.00	1056920	6,875.00
	Black Ceraglas, CV-glass	1047823	6,090.00	1056923	7,081.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Front models

Metro 130XT-41 RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 5.1 - 10.8 kW	Black smooth	1036743	5,930.00	1056930	6,921.00
	Black smooth, CV-glass	1054247	6,200.00	1056933	7,192.00
	Black Ceraglas	1036746	6,503.00	1056936	7,494.00
	Black Ceraglas, CV-glass	1054250	6,773.00	1056939	7,764.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 4.1 - 10.2 kW	Black smooth	1036744	5,930.00	1056931	6,921.00
	Black smooth, CV-glass	1054248	6,200.00	1056934	7,192.00
	Black Ceraglas	1036747	6,503.00	1056937	7,494.00
	Black Ceraglas, CV-glass	1054251	6,773.00	1056940	7,764.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 5.6 - 10.6 kW	Black smooth	1065167	5,930.00	1065172	6,921.00
	Black smooth, CV-glass	1065169	6,200.00	1065174	7,192.00
	Black Ceraglas	1065170	6,503.00	1065175	7,494.00
	Black Ceraglas, CV-glass	1065171	6,773.00	1065178	7,764.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1018291	285.00
Greystone-stone	Set	1018292	316.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 420 x 30 x 30 mm	1010287	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Metro 150XT-41 RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 5.9 - 10.8 kW	Black Ceraglas	1036752	7,155.00	1056948	8,147.00
	Black Ceraglas, CV-glass	1053911	7,463.00	1056951	8,454.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 4.9 - 10.3 kW	Black Ceraglas	1036753	7,155.00	1056949	8,147.00
	Black Ceraglas, CV-glass	1055042	7,463.00	1056952	8,454.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 5.3 - 11.1 kW	Black Ceraglas	1036754	7,155.00	1056950	8,147.00
	Black Ceraglas, CV-glass	1055043	7,463.00	1056953	8,454.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1016993	114.00
Greystone-stone	Set	1018329	341.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 420 x 30 x 30 mm	1010287	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



Front models

Metro 200XT RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 8.9 - 16.7 kW	Black Ceraglas	1045653	9,191.00	1060638	10,182.00
	Black Ceraglas, CV-glass	1045656	9,615.00	1060640	10,606.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 7.2 - 15.8 kW	Black Ceraglas	1045654	9,191.00	1060639	10,182.00
	Black Ceraglas, CV-glass	1045657	9,615.00	1060641	10,606.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 7.3 - 15.4 kW	Black Ceraglas	-	-	1072079	10,182.00
	Black Ceraglas, CV-glass	-	-	1072080	10,606.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1045665	687.00
Carrara stones	Set	1045666	472.00
Glass	Set, anthracite	1045667	687.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 105 mm, Build in depth 70 mm	1073170	542.00
	4-sided, W = 135 mm, Build in depth 100 mm	1073171	578.00
	4-sided, Custom made	1073172	1,121.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!





Tunnel fireplaces

Maestro 75 Tunnel RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H')	Black smooth	1057630	6,509.00	1060690	7,500.00
	Black smooth, CV-glass	1057632	7,018.00	1059294	8,009.00
Thermal output range 1.7 - 9.1 kW	Black smooth, LED	1068564	6,928.00	1068570	7,919.00
	Black smooth, LED, CV-glass	1068567	7,436.00	1068578	8,427.00
Set up for natural gas G25 (natural gas ,L')	Black smooth	1057631	6,509.00	1060691	7,500.00
	Black smooth, CV-glass	1057633	7,018.00	1060693	8,009.00
Thermal output range 1.5 - 8.5 kW	Black smooth, LED	1068565	6,928.00	1068571	7,919.00
	Black smooth, LED, CV-glass	1068568	7,436.00	1068579	8,427.00
Set up for liquified gas G31 (liquified gas ,propane gas')	Black smooth	1060610	6,509.00	1060692	7,500.00
	Black smooth, CV-glass	1060611	7,018.00	1060694	8,009.00
Thermal output range 1.9 - 9.5 kW	Black smooth, LED	1068566	6,928.00	1068576	7,919.00
	Black smooth, LED, CV-glass	1068569	7,436.00	1068580	8,427.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 100 mm, Build in depth 70 mm	1071366	344.00
	4-sided, W = 130 mm, Build in depth 100 mm	1071367	380.00
	4-sided, Custom made	1071368	924.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 75 Tunnel RCH LED	1075486	232.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Tunnel fireplaces

Maestro 75 Tall Tunnel RCH



also available with PowerVent (PV)



Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.0 - 10.2 kW	Black Ceraglas	1069730	8,486.00	1069737	9,477.00
	Black Ceraglas, CV-glass	1069734	9,392.00	1069740	10,383.00
	Black Ceraglas, LED	1069743	8,904.00	1069749	9,896.00
	Black Ceraglas, LED, CV-glass	1069746	9,811.00	1069753	10,802.00
	Matt glass	1073147	8,486.00	1073149	9,477.00
	Matt glass, CV-glass	1073144	9,392.00	1073155	10,383.00
	Matt glass, LED	1073157	8,904.00	1073165	9,896.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.7 - 9.5 kW	Matt glass, LED, CV-glass	1073159	9,811.00	1073167	10,802.00
	Black Ceraglas	1069731	8,486.00	1069738	9,477.00
	Black Ceraglas, CV-glass	1069735	9,392.00	1069741	10,383.00
	Black Ceraglas, LED	1069744	8,904.00	1069751	9,896.00
	Black Ceraglas, LED, CV-glass	1069747	9,811.00	1069755	10,802.00
	Matt glass	1073237	8,486.00	1073239	9,477.00
	Matt glass, CV-glass	1073238	9,392.00	1073240	10,383.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 2.0 - 10.0 kW	Matt glass, LED	1073241	8,904.00	1073243	9,896.00
	Matt glass, LED, CV-glass	1073242	9,811.00	1073245	10,802.00
	Black Ceraglas	1069732	8,486.00	1069739	9,477.00
	Black Ceraglas, CV-glass	1069736	9,392.00	1069742	10,383.00
	Black Ceraglas, LED	1069745	8,904.00	1069752	9,896.00
	Black Ceraglas, LED, CV-glass	1069748	9,811.00	1069758	10,802.00
	Matt glass	1073146	8,486.00	1073150	9,477.00
	Matt glass, CV-glass	1073148	9,392.00	1073156	10,383.00
	Matt glass, LED	1073158	8,904.00	1073166	9,896.00
	Matt glass, LED, CV-glass	1073162	9,811.00	1073169	10,802.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	4-sided, W = 100 mm, Build in depth 70 mm	1069760	474.00
	4-sided, W = 130 mm, Build in depth 100 mm	1069761	510.00
	4-sided, Custom made	1071077	1,053.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 75 Tall Tunnel RCH LED	1075486	232.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Tunnel fireplaces

Metro 100XT-41 Tunnel RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033793	6,409.00	1056924	7,400.00
	Black smooth, CV-glass	1047841	6,817.00	1056927	7,808.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033795	6,409.00	1056925	7,400.00
	Black smooth, CV-glass	1054245	6,817.00	1056928	7,808.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033796	6,409.00	1056926	7,400.00
	Black smooth, CV-glass	1054246	6,817.00	1056929	7,808.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



Tunnel fireplaces

Metro 130XT-41 Tunnel RCH



also available with PowerVent (PV)



Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 5.1 - 10.8 kW	Black smooth	1036749	6,922.00	1056942	7,913.00
	Black smooth, CV-glass	1055044	7,458.00	1056945	8,449.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 4.1 - 10.2 kW	Black smooth	1036750	6,922.00	1056943	7,913.00
	Black smooth, CV-glass	1055045	7,458.00	1056946	8,449.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 5.6 - 10.6 kW	Black smooth	1065180	6,922.00	1065182	7,913.00
	Black smooth, CV-glass	1065181	7,458.00	1065184	8,449.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1018291	285.00
Greystone-stone	Set	1018292	316.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 420 x 30 x 30 mm	1010287	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Tunnel fireplaces

Metro 150XT-41 Tunnel RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 5.9 - 10.8 kW	Black smooth	1036755	7,664.00	1056954	8,655.00
	Black smooth, CV-glass	1055047	8,274.00	1056957	9,265.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 4.9 - 10.3 kW	Black smooth	1036756	7,664.00	1056955	8,655.00
	Black smooth, CV-glass	1055048	8,274.00	1056958	9,265.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 5.3 - 11.1 kW	Black smooth	1036757	7,664.00	1056956	8,655.00
	Black smooth, CV-glass	1055049	8,274.00	1056959	9,265.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1016993	114.00
Greystone-stone	Set	1018329	341.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 420 x 30 x 30 mm	1010287	91.00
Glass cleaner	For CV-glass ²	1046783	47.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



Metro 200XT Tunnel RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 8.9 - 16.7 kW	Black smooth	1045659	9,583.00	1060642	10,574.00
	Black smooth, CV-glass	1045662	10,426.00	1060644	11,417.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 7.2 - 15.8 kW	Black smooth	1045660	9,583.00	1060643	10,574.00
	Black smooth, CV-glass	1045663	10,426.00	1060645	11,417.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 7.3 - 15.4 kW	Black smooth	-	-	1072081	10,574.00
	Black smooth, CV-glass	-	-	1072082	11,417.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1047389	714.00
Carrara stones	Set	1047390	472.00
Glass	Set, anthracite	1047391	714.00

Accessories	Description	Item no.	Price (€)
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

2-sided fireplaces

Lugo 80/2 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Shield box no. 1076621
electr. protective housing for floating installation on a tray

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 3.4 - 6.9 kW	Black smooth	1021511	4,887.00	1056701	5,878.00
	Black Ceraglas	1021514	5,035.00	1056703	6,027.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.8 - 6.5 kW	Black smooth	1021512	4,887.00	1056985	5,878.00
	Black Ceraglas	1021515	5,035.00	1056988	6,027.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.2 - 6.3 kW	Black smooth	1021513	4,887.00	1056702	5,878.00
	Black Ceraglas	1021516	5,035.00	1056704	6,027.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 100 mm, left	1037025	430.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Supporting frame	Lugo 80/2 RCH	1030265	348.00
Operating door	For placement of gas control block	1021226	158.00

2-sided fireplaces

Lugo 80/2 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Shield box no. 1076621
electr. protective housing for floating installation on a tray

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 3.4 - 6.9 kW	Black smooth	1021502	4,887.00	1056697	5,878.00
	Black Ceraglas	1021505	5,035.00	1056699	6,027.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.8 - 6.5 kW	Black smooth	1021503	4,887.00	1056979	5,878.00
	Black Ceraglas	1021506	5,035.00	1056982	6,027.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.2 - 6.3 kW	Black smooth	1021504	4,887.00	1056698	5,878.00
	Black Ceraglas	1021507	5,035.00	1056700	6,027.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 100 mm, right	1037024	430.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Supporting frame	Lugo 80/2 RCH	1030265	348.00
Operating door	For placement of gas control block	1021226	158.00

2-sided fireplaces

Maestro 60/2 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1064409	5,523.00	1064494	6,514.00
	Black smooth, CV-glass	1064412	5,772.00	1064497	6,763.00
	Black smooth, LED	1064781	5,942.00	1064808	6,933.00
	Black smooth, LED, CV-glass	1064784	6,191.00	1064811	7,182.00
	Black Ceraglas	1064415	5,815.00	1064500	6,806.00
	Black Ceraglas, CV-glass	1064418	6,064.00	1064503	7,055.00
	Black Ceraglas, LED	1064787	6,233.00	1064814	7,224.00
	Black Ceraglas, LED, CV-glass	1064790	6,482.00	1064817	7,473.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1064410	5,523.00	1064495	6,514.00
	Black smooth, CV-glass	1064413	5,772.00	1064498	6,763.00
	Black smooth, LED	1064782	5,942.00	1064809	6,933.00
	Black smooth, LED, CV-glass	1064785	6,191.00	1064812	7,182.00
	Black Ceraglas	1064416	5,815.00	1064501	6,806.00
	Black Ceraglas, CV-glass	1064419	6,064.00	1064504	7,055.00
	Black Ceraglas, LED	1064788	6,233.00	1064815	7,224.00
	Black Ceraglas, LED, CV-glass	1064791	6,482.00	1064818	7,473.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1064411	5,523.00	1064496	6,514.00
	Black smooth, CV-glass	1064414	5,772.00	1064499	6,763.00
	Black smooth, LED	1064783	5,942.00	1064810	6,933.00
	Black smooth, LED, CV-glass	1064786	6,191.00	1064813	7,182.00
	Black Ceraglas	1064417	5,815.00	1064502	6,806.00
	Black Ceraglas, CV-glass	1064420	6,064.00	1064505	7,055.00
	Black Ceraglas, LED	1064789	6,233.00	1064816	7,224.00
	Black Ceraglas, LED, CV-glass	1064792	6,482.00	1064819	7,473.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, left	1065122	382.00
	6-sided, Custom made, left	1065126	926.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Supporting frame	Maestro 60/2 RCH	1044460	348.00
Cover plate	Maestro 60/2 RCH LED	1065996	59.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

2-sided fireplaces

Maestro 60/2 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1064397	5,523.00	1064482	6,514.00
	Black smooth, CV-glass	1064400	5,772.00	1064485	6,763.00
	Black smooth, LED	1064739	5,942.00	1064793	6,933.00
	Black smooth, LED, CV-glass	1064743	6,191.00	1064796	7,182.00
	Black Ceraglas	1064403	5,815.00	1064488	6,806.00
	Black Ceraglas, CV-glass	1064406	6,064.00	1064491	7,055.00
	Black Ceraglas, LED	1064749	6,233.00	1064801	7,224.00
	Black Ceraglas, LED, CV-glass	1064752	6,482.00	1064805	7,473.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1064398	5,523.00	1064483	6,514.00
	Black smooth, CV-glass	1064401	5,772.00	1064486	6,763.00
	Black smooth, LED	1064740	5,942.00	1064794	6,933.00
	Black smooth, LED, CV-glass	1064744	6,191.00	1064797	7,182.00
	Black Ceraglas	1064404	5,815.00	1064489	6,806.00
	Black Ceraglas, CV-glass	1064407	6,064.00	1064492	7,055.00
	Black Ceraglas, LED	1064750	6,233.00	1064802	7,224.00
	Black Ceraglas, LED, CV-glass	1064753	6,482.00	1064806	7,473.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1064399	5,523.00	1064484	6,514.00
	Black smooth, CV-glass	1064402	5,772.00	1064487	6,763.00
	Black smooth, LED	1064741	5,942.00	1064795	6,933.00
	Black smooth, LED, CV-glass	1064746	6,191.00	1064798	7,182.00
	Black Ceraglas	1064405	5,815.00	1064490	6,806.00
	Black Ceraglas, CV-glass	1064408	6,064.00	1064493	7,055.00
	Black Ceraglas, LED	1064751	6,233.00	1064803	7,224.00
	Black Ceraglas, LED, CV-glass	1064754	6,482.00	1064807	7,473.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, right	1065120	382.00
	6-sided, Custom made, right	1065123	926.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Supporting frame	Maestro 60/2 RCH	1044460	348.00
Cover plate	Maestro 60/2 RCH LED	1065996	59.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

2-sided fireplaces

Maestro 60/2 Tall RCH left



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1071882	6,095.00	1071917	7,087.00
	Black smooth, LED	1071950	6,514.00	1071985	7,505.00
	Black Ceraglas	1071891	6,525.00	1071925	7,516.00
	Black Ceraglas, LED	1071959	6,943.00	1071993	7,935.00
	Matt glass	1073119	6,525.00	1073123	7,516.00
	Matt glass, LED	1073127	6,943.00	1073131	7,935.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1071883	6,095.00	1071918	7,087.00
	Black smooth, LED	1071951	6,514.00	1071986	7,505.00
	Black Ceraglas	1071892	6,525.00	1071926	7,516.00
	Black Ceraglas, LED	1071960	6,943.00	1071995	7,935.00
	Matt glass	1073247	6,525.00	1073249	7,516.00
	Matt glass, LED	1073251	6,943.00	1073254	7,935.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1071885	6,095.00	1071919	7,087.00
	Black smooth, LED	1071952	6,514.00	1071987	7,505.00
	Black Ceraglas	1071893	6,525.00	1072115	7,516.00
	Black Ceraglas, LED	1071961	6,943.00	1071997	7,935.00
	Matt glass	1073120	6,525.00	1073124	7,516.00
	Matt glass, LED	1073128	6,943.00	1073132	7,935.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, left	1072005	451.00
	6-sided, Custom made, left	1072007	1,188.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Supporting frame	Maestro 60/2 RCH Tall	1044460	348.00
Cover plate	Maestro 60/2 RCH Tall LED	1065996	59.00

2-sided fireplaces

Maestro 60/2 Tall RCH right



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1071852	6,095.00	1071901	7,087.00
	Black smooth, LED	1071933	6,514.00	1071967	7,505.00
	Black Ceraglas	1071861	6,525.00	1071909	7,516.00
	Black Ceraglas, LED	1071942	6,943.00	1071975	7,935.00
	Matt glass	1073117	6,525.00	1073121	7,516.00
	Matt glass, LED	1073125	6,943.00	1073129	7,935.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1071853	6,095.00	1071902	7,087.00
	Black smooth, LED	1071934	6,514.00	1071968	7,505.00
	Black Ceraglas	1071862	6,525.00	1071910	7,516.00
	Black Ceraglas, LED	1071943	6,943.00	1071976	7,935.00
	Matt glass	1073246	6,525.00	1073248	7,516.00
	Matt glass, LED	1073250	6,943.00	1073253	7,935.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1071854	6,095.00	1071903	7,087.00
	Black smooth, LED	1071935	6,514.00	1071969	7,505.00
	Black Ceraglas	1071863	6,525.00	1071911	7,516.00
	Black Ceraglas, LED	1071944	6,943.00	1071977	7,935.00
	Matt glass	1073118	6,525.00	1073122	7,516.00
	Matt glass, LED	1073126	6,943.00	1073130	7,935.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, right	1072004	451.00
	6-sided, Custom made, right	1072006	1,188.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Supporting frame	Maestro 60/2 RCH Tall	1044460	348.00
Cover plate	Maestro 60/2 RCH Tall LED	1065996	59.00

2-sided fireplaces

Maestro 80/2 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.4 - 9.0 kW	Black smooth	1038550	6,058.00	1057008	7,049.00
	Black smooth, CV-glass	1038552	6,382.00	1057011	7,373.00
	Black smooth, LED	1069591	6,477.00	1069623	7,468.00
	Black smooth, LED, CV-glass	1069594	6,800.00	1069626	7,791.00
	Black Ceraglas	1038554	6,488.00	1057014	7,479.00
	Black Ceraglas, CV-glass	1038557	6,811.00	1057017	7,802.00
	Black Ceraglas, LED	1069597	6,906.00	1069629	7,897.00
	Black Ceraglas, LED, CV-glass	1069602	7,230.00	1069632	8,221.00
	Rib-Cast	1075751	6,488.00	1075767	7,479.00
	Rib-Cast, CV-glass	1075753	6,811.00	1075789	7,802.00
	Rib-Cast, LED	1075833	6,906.00	1075878	7,897.00
	Rib-Cast, LED, CV-glass	1075842	7,230.00	1075881	8,221.00
	Set up for natural gas G25 (natural gas ,L') Thermal output range 1.3 - 8.6 kW	Black smooth	1038551	6,058.00	1057009
Black smooth, CV-glass		1038553	6,382.00	1057012	7,373.00
Black smooth, LED		1069592	6,477.00	1069624	7,468.00
Black smooth, LED, CV-glass		1069595	6,800.00	1069627	7,791.00
Black Ceraglas		1038556	6,488.00	1057015	7,479.00
Black Ceraglas, CV-glass		1038558	6,811.00	1057018	7,802.00
Black Ceraglas, LED		1069598	6,906.00	1069630	7,897.00
Black Ceraglas, LED, CV-glass		1069603	7,230.00	1069633	8,221.00
Rib-Cast		1075752	6,488.00	1075787	7,479.00
Rib-Cast, CV-glass		1075757	6,811.00	1075809	7,802.00
Rib-Cast, LED		1075840	6,906.00	1075879	7,897.00
Rib-Cast, LED, CV-glass		1075843	7,230.00	1075883	8,221.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.3 - 7.7 kW		Black smooth	1063339	6,058.00	1063347
	Black smooth, CV-glass	1063340	6,382.00	1063348	7,373.00
	Black smooth, LED	1069593	6,477.00	1069625	7,468.00
	Black smooth, LED, CV-glass	1069596	6,800.00	1069628	7,791.00
	Black Ceraglas	1063341	6,488.00	1063349	7,479.00
	Black Ceraglas, CV-glass	1063342	6,811.00	1063350	7,802.00
	Black Ceraglas, LED	1069601	6,906.00	1069631	7,897.00
	Black Ceraglas, LED, CV-glass	1069604	7,230.00	1069636	8,221.00
	Rib-Cast	1075607	6,488.00	1075613	7,479.00
	Rib-Cast, CV-glass	1075608	6,811.00	1075614	7,802.00
	Rib-Cast, LED	1075622	6,906.00	1075629	7,897.00
	Rib-Cast, LED, CV-glass	1075623	7,230.00	1075632	8,221.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, left	1071380	451.00
	6-sided, Custom made, left	1044007	1,188.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Supporting frame	Maestro 80/2 RCH	1044460	348.00
Cover plate	Maestro 80/2 RCH LED	1071037	97.00
Wall panel	Rib-Cast 549 x 300 mm	1076625	193.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

2-sided fireplaces

Maestro 80/2 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.4 - 9.0 kW	Black smooth	1038539	6,058.00	1056996	7,049.00
	Black smooth, CV-glass	1038541	6,382.00	1056999	7,373.00
	Black smooth, LED	1069577	6,477.00	1069605	7,468.00
	Black smooth, LED, CV-glass	1069580	6,800.00	1069608	7,791.00
	Black Ceraglas	1038544	6,488.00	1057002	7,479.00
	Black Ceraglas, CV-glass	1038547	6,811.00	1057005	7,802.00
	Black Ceraglas, LED	1069584	6,906.00	1069611	7,897.00
	Black Ceraglas, LED, CV-glass	1069588	7,230.00	1069614	8,221.00
	Rib-Cast	1075743	6,488.00	1075758	7,479.00
	Rib-Cast, CV-glass	1075747	6,811.00	1075763	7,802.00
	Rib-Cast, LED	1075814	6,906.00	1075850	7,897.00
	Rib-Cast, LED, CV-glass	1075827	7,230.00	1075873	8,221.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.3 - 8.6 kW	Black smooth	1038540	6,058.00	1056997	7,049.00
	Black smooth, CV-glass	1038542	6,382.00	1057000	7,373.00
	Black smooth, LED	1069578	6,477.00	1069606	7,468.00
	Black smooth, LED, CV-glass	1069581	6,800.00	1069609	7,791.00
	Black Ceraglas	1038546	6,488.00	1057003	7,479.00
	Black Ceraglas, CV-glass	1038549	6,811.00	1057006	7,802.00
	Black Ceraglas, LED	1069586	6,906.00	1069612	7,897.00
	Black Ceraglas, LED, CV-glass	1069589	7,230.00	1069615	8,221.00
	Rib-Cast	1075744	6,488.00	1075761	7,479.00
	Rib-Cast, CV-glass	1075749	6,811.00	1075765	7,802.00
	Rib-Cast, LED	1075822	6,906.00	1075851	7,897.00
	Rib-Cast, LED, CV-glass	1075832	7,230.00	1075874	8,221.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.3 - 7.7 kW	Black smooth	1063335	6,058.00	1063343	7,049.00
	Black smooth, CV-glass	1063336	6,382.00	1063344	7,373.00
	Black smooth, LED	1069579	6,477.00	1069607	7,468.00
	Black smooth, LED, CV-glass	1069582	6,800.00	1069610	7,791.00
	Black Ceraglas	1063337	6,488.00	1063345	7,479.00
	Black Ceraglas, CV-glass	1063338	6,811.00	1063346	7,802.00
	Black Ceraglas, LED	1069587	6,906.00	1069613	7,897.00
	Black Ceraglas, LED, CV-glass	1069590	7,230.00	1069616	8,221.00
	Rib-Cast	1075604	6,488.00	1075609	7,479.00
	Rib-Cast, CV-glass	1075605	6,811.00	1075612	7,802.00
	Rib-Cast, LED	1075619	6,906.00	1075624	7,897.00
	Rib-Cast, LED, CV-glass	1075621	7,230.00	1075628	8,221.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, right	1071379	451.00
	6-sided, Custom made, right	1044006	1,188.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Supporting frame	Maestro 80/2 RCH	1044460	348.00
Cover plate	Maestro 80/2 RCH LED	1071037	97.00
Wall panel	Rib-Cast 549 x 300 mm	1076625	193.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

2-sided fireplaces

Maestro 105/2-01 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.5 - 10.3 kW	Black smooth	1072129	7,219.00	1072155	8,210.00
	Black smooth, CV-glass	1072132	7,601.00	1072158	8,592.00
	Black smooth, LED	1071547	7,638.00	1071571	8,629.00
	Black smooth, LED, CV-glass	1071550	8,019.00	1071574	9,010.00
	Black Ceraglas	1072135	7,791.00	1072161	8,783.00
	Black Ceraglas, CV-glass	1072138	8,173.00	1072164	9,164.00
	Black Ceraglas, LED	1071553	8,210.00	1071577	9,201.00
	Black Ceraglas, LED, CV-glass	1071556	8,592.00	1071580	9,583.00
	Rib-Cast	1076014	7,791.00	1076049	8,783.00
	Rib-Cast, CV-glass	1076016	8,173.00	1076059	9,164.00
	Rib-Cast, LED	1076065	8,210.00	1076105	9,201.00
	Rib-Cast, LED, CV-glass	1076068	8,592.00	1076108	9,583.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.1 - 9.8 kW	Black smooth	1072130	7,219.00	1072156	8,210.00
	Black smooth, CV-glass	1072133	7,601.00	1072159	8,592.00
	Black smooth, LED	1071548	7,638.00	1071572	8,629.00
	Black smooth, LED, CV-glass	1071551	8,019.00	1071575	9,010.00
	Black Ceraglas	1072136	7,791.00	1072162	8,783.00
	Black Ceraglas, CV-glass	1072139	8,173.00	1072165	9,164.00
	Black Ceraglas, LED	1071554	8,210.00	1071578	9,201.00
	Black Ceraglas, LED, CV-glass	1071557	8,592.00	1071581	9,583.00
	Rib-Cast	1076015	7,791.00	1076051	8,783.00
	Rib-Cast, CV-glass	1076017	8,173.00	1076060	9,164.00
	Rib-Cast, LED	1076066	8,210.00	1076106	9,201.00
	Rib-Cast, LED, CV-glass	1076070	8,592.00	1076109	9,583.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 2.6 - 10.5 kW	Black smooth	1072131	7,219.00	1072157	8,210.00
	Black smooth, CV-glass	1072134	7,601.00	1072160	8,592.00
	Black smooth, LED	1071549	7,638.00	1071573	8,629.00
	Black smooth, LED, CV-glass	1071552	8,019.00	1071576	9,010.00
	Black Ceraglas	1072137	7,791.00	1072163	8,783.00
	Black Ceraglas, CV-glass	1072141	8,173.00	1072166	9,164.00
	Black Ceraglas, LED	1071555	8,210.00	1071579	9,201.00
	Black Ceraglas, LED, CV-glass	1071558	8,592.00	1071582	9,583.00
	Rib-Cast	1075663	7,791.00	1075667	8,783.00
	Rib-Cast, CV-glass	1075664	8,173.00	1075668	9,164.00
	Rib-Cast, LED	1075671	8,210.00	1076107	9,201.00
	Rib-Cast, LED, CV-glass	1075672	8,592.00	1076110	9,583.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, left	1071373	521.00
	6-sided, Custom made, left	1071375	1,258.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 105/2-01 RCH LED	1071775	133.00
Wall panel	Rib-Cast 586 x 300 mm	1076626	193.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

2-sided fireplaces

Maestro 105/2-01 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.5 - 10.3 kW	Black smooth	1072117	7,219.00	1072142	8,210.00
	Black smooth, CV-glass	1072120	7,601.00	1072145	8,592.00
	Black smooth, LED	1071520	7,638.00	1071559	8,629.00
	Black smooth, LED, CV-glass	1071523	8,019.00	1071562	9,010.00
	Black Ceraglas	1072123	7,791.00	1072148	8,783.00
	Black Ceraglas, CV-glass	1072126	8,173.00	1072151	9,164.00
	Black Ceraglas, LED	1071541	8,210.00	1071565	9,201.00
	Black Ceraglas, LED, CV-glass	1071544	8,592.00	1071568	9,583.00
	Rib-Cast	1076010	7,791.00	1076021	8,783.00
	Rib-Cast, CV-glass	1076012	8,173.00	1076036	9,164.00
	Rib-Cast, LED	1076061	8,210.00	1076071	9,201.00
	Rib-Cast, LED, CV-glass	1076063	8,592.00	1076099	9,583.00
	Set up for natural gas G25 (natural gas ,L') Thermal output range 2.1 - 9.8 kW	Black smooth	1072118	7,219.00	1072143
Black smooth, CV-glass		1072121	7,601.00	1072146	8,592.00
Black smooth, LED		1071521	7,638.00	1071560	8,629.00
Black smooth, LED, CV-glass		1071539	8,019.00	1071563	9,010.00
Black Ceraglas		1072124	7,791.00	1072149	8,783.00
Black Ceraglas, CV-glass		1072127	8,173.00	1072152	9,164.00
Black Ceraglas, LED		1071542	8,210.00	1071566	9,201.00
Black Ceraglas, LED, CV-glass		1071545	8,592.00	1071569	9,583.00
Rib-Cast		1076011	7,791.00	1076034	8,783.00
Rib-Cast, CV-glass		1076013	8,173.00	1076038	9,164.00
Rib-Cast, LED		1076062	8,210.00	1076072	9,201.00
Rib-Cast, LED, CV-glass		1076064	8,592.00	1076104	9,583.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 2.6 - 10.5 kW		Black smooth	1072119	7,219.00	1072144
	Black smooth, CV-glass	1072122	7,601.00	1072147	8,592.00
	Black smooth, LED	1071522	7,638.00	1071561	8,629.00
	Black smooth, LED, CV-glass	1071540	8,019.00	1071564	9,010.00
	Black Ceraglas	1072125	7,791.00	1072150	8,783.00
	Black Ceraglas, CV-glass	1072128	8,173.00	1072154	9,164.00
	Black Ceraglas, LED	1071543	8,210.00	1071567	9,201.00
	Black Ceraglas, LED, CV-glass	1071546	8,592.00	1071570	9,583.00
	Rib-Cast	1075661	7,791.00	1075665	8,783.00
	Rib-Cast, CV-glass	1075662	8,173.00	1075666	9,164.00
	Rib-Cast, LED	1075669	8,210.00	1075673	9,201.00
	Rib-Cast, LED, CV-glass	1075670	8,592.00	1075674	9,583.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 110 mm, Build in depth 70 mm, right	1071372	521.00
	6-sided, Custom made, right	1071374	1,258.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 105/2-01 RCH LED	1071775	133.00
Wall panel	Rib-Cast 586 x 300 mm	1076626	193.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

2-sided fireplaces

Metro 100XT/2-41 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033811	5,724.00	1057056	6,716.00
	Black smooth, CV-glass	1055050	6,011.00	1057059	7,002.00
	Black Ceraglas	1033814	6,154.00	1057062	7,145.00
	Black Ceraglas, CV-glass	1053974	6,440.00	1057065	7,431.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033812	5,724.00	1057057	6,716.00
	Black smooth, CV-glass	1055054	6,011.00	1057060	7,002.00
	Black Ceraglas	1033815	6,154.00	1057063	7,145.00
	Black Ceraglas, CV-glass	1055055	6,440.00	1057066	7,431.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033813	5,724.00	1057058	6,716.00
	Black smooth, CV-glass	1055061	6,011.00	1057061	7,002.00
	Black Ceraglas	1033816	6,154.00	1057064	7,145.00
	Black Ceraglas, CV-glass	1055063	6,440.00	1057067	7,431.00

Combustion accessories Glass	Description	Item No.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 100 mm, left	1037019	465.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Mounting kit	For plateau + appliance	1033111	329.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ²	1046783	47.00
Supporting frame	Metro 100XT/2-41 RCH	1012229	387.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

2-sided fireplaces

Metro 100XT/2-41 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033800	5,724.00	1057044	6,716.00
	Black smooth, CV-glass	1055052	6,011.00	1057047	7,002.00
	Black Ceraglas	1033804	6,154.00	1057050	7,145.00
	Black Ceraglas, CV-glass	1055053	6,440.00	1057053	7,431.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033802	5,724.00	1057045	6,716.00
	Black smooth, CV-glass	1055056	6,011.00	1057048	7,002.00
	Black Ceraglas	1033806	6,154.00	1057051	7,145.00
	Black Ceraglas, CV-glass	1055057	6,440.00	1057054	7,431.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033803	5,724.00	1057046	6,716.00
	Black smooth, CV-glass	1057188	6,011.00	1057049	7,002.00
	Black Ceraglas	1033807	6,154.00	1057052	7,145.00
	Black Ceraglas, CV-glass	1055068	6,440.00	1057055	7,431.00

Combustion accessories Glass	Description	Item No.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 100 mm, right	1037018	465.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Mounting kit	For plateau + appliance	1033111	329.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ²	1046783	47.00
Supporting frame	Metro 100XT/2-41 RCH	1012229	387.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**

2-sided fireplaces

Metro 130XT/2 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H')	Black smooth	1024670	6,297.00	1057128	7,288.00
	Black smooth, CV-glass	1055077	6,625.00	1057131	7,617.00
Thermal output range 5.1 - 10.8 kW	Black Ceraglas	1024673	6,726.00	1057134	7,717.00
	Black Ceraglas, CV-glass	1055078	7,055.00	1057137	8,046.00
Set up for natural gas G25 (natural gas ,L')	Black smooth	1024671	6,297.00	1057129	7,288.00
	Black smooth, CV-glass	1055082	6,625.00	1057132	7,617.00
Thermal output range 4.1 - 10.2 kW	Black Ceraglas	1024674	6,726.00	1057135	7,717.00
	Black Ceraglas, CV-glass	1055083	7,055.00	1057138	8,046.00
Set up for liquified gas G31 (liquified gas ,propane gas')	Black smooth	1066223	6,297.00	1066232	7,288.00
	Black smooth, CV-glass	1066224	6,625.00	1066233	7,617.00
Thermal output range 5.6 - 10.6 kW	Black Ceraglas	1066225	6,726.00	1066234	7,717.00
	Black Ceraglas, CV-glass	1066226	7,055.00	1066235	8,046.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1018291	285.00
Greystone-stone	Set	1018292	316.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 100 mm, left	1057140	534.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Mounting kit	For plateau + appliance	1033111	329.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

2-sided fireplaces

Metro 130XT/2 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!



Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H')	Black smooth	1024664	6,297.00	1057116	7,288.00
	Black smooth, CV-glass	1055080	6,625.00	1057119	7,617.00
Thermal output range 5.1 - 10.8 kW	Black Ceraglas	1024667	6,726.00	1057122	7,717.00
	Black Ceraglas, CV-glass	1055081	7,055.00	1057125	8,046.00
Set up for natural gas G25 (natural gas ,L')	Black smooth	1024665	6,297.00	1057117	7,288.00
	Black smooth, CV-glass	1055085	6,625.00	1057120	7,617.00
Thermal output range 4.1 - 10.2 kW	Black Ceraglas	1024668	6,726.00	1057123	7,717.00
	Black Ceraglas, CV-glass	1055086	7,055.00	1057126	8,046.00
Set up for liquified gas G31 (liquified gas ,propane gas')	Black smooth	1066219	6,297.00	1066227	7,288.00
	Black smooth, CV-glass	1066220	6,625.00	1066228	7,617.00
Thermal output range 5.6 - 10.6 kW	Black Ceraglas	1066221	6,726.00	1066229	7,717.00
	Black Ceraglas, CV-glass	1066222	7,055.00	1066231	8,046.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1018291	285.00
Greystone-stone	Set	1018292	316.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	6-sided, W = 100 mm, right	1056129	534.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Mounting kit	For plateau + appliance	1033111	329.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



3-sided fireplaces

Lugo 80/3 RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Shield box no. 1076621
electr. protective housing for floating installation on a tray

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 3.4 - 6.9 kW	Black smooth	1021520	4,887.00	1056711	5,878.00
	Black Ceraglas	1021523	5,035.00	1056713	6,027.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.8 - 6.5 kW	Black smooth	1021521	4,887.00	1056991	5,878.00
	Black Ceraglas	1021524	5,035.00	1056994	6,027.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.2 - 6.3 kW	Black smooth	1021522	4,887.00	1056712	5,878.00
	Black Ceraglas	1021525	5,035.00	1056714	6,027.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 100 mm, Build in depth 70 mm	1037023	430.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Supporting frame	Lugo 80/3 RCH	1030267	348.00
Operating door	For placement of gas control block	1021226	158.00

3-sided fireplaces

Maestro 60/3 RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1064820	5,682.00	1064832	6,673.00
	Black smooth, CV-glass	1064823	6,032.00	1064835	7,023.00
	Black smooth, LED	1064844	6,101.00	1064857	7,092.00
	Black smooth, LED, CV-glass	1064849	6,451.00	1064860	7,442.00
	Black Ceraglas	1064826	5,974.00	1064838	6,965.00
	Black Ceraglas, CV-glass	1064829	6,323.00	1064841	7,314.00
	Black Ceraglas, LED	1064851	6,392.00	1064863	7,383.00
	Black Ceraglas, LED, CV-glass	1064854	6,742.00	1064866	7,733.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1064821	5,682.00	1064833	6,673.00
	Black smooth, CV-glass	1064824	6,032.00	1064836	7,023.00
	Black smooth, LED	1064845	6,101.00	1064858	7,092.00
	Black smooth, LED, CV-glass	1064848	6,451.00	1064861	7,442.00
	Black Ceraglas	1064827	5,974.00	1064839	6,965.00
	Black Ceraglas, CV-glass	1064830	6,323.00	1064842	7,314.00
	Black Ceraglas, LED	1064852	6,392.00	1064864	7,383.00
	Black Ceraglas, LED, CV-glass	1064855	6,742.00	1064867	7,733.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1064822	5,682.00	1064834	6,673.00
	Black smooth, CV-glass	1064825	6,032.00	1064837	7,023.00
	Black smooth, LED	1064846	6,101.00	1064859	7,092.00
	Black smooth, LED, CV-glass	1064850	6,451.00	1064862	7,442.00
	Black Ceraglas	1064828	5,974.00	1064840	6,965.00
	Black Ceraglas, CV-glass	1064831	6,323.00	1064843	7,314.00
	Black Ceraglas, LED	1064853	6,392.00	1064865	7,383.00
	Black Ceraglas, LED, CV-glass	1064856	6,742.00	1064868	7,733.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 110 mm, Build in depth 70 mm	1065127	452.00
	8-sided, Custom made	1065129	994.00
Extension feet	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Supporting frame	Maestro 60/3 RCH	1067203	355.00
Cover plate	Maestro 60/3 RCH LED	1065996	59.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



3-sided fireplaces

Maestro 60/3 Tall RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.9 - 7.2 kW	Black smooth	1072010	6,254.00	1072029	7,246.00
	Black smooth, LED	1072045	6,673.00	1072062	7,664.00
	Black Ceraglas	1072021	6,546.00	1072037	7,537.00
	Black Ceraglas, LED	1072054	6,965.00	1072070	7,956.00
	Matt glass	1073133	6,546.00	1073136	7,537.00
	Matt glass, LED	1073138	6,965.00	1073141	7,956.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.6 - 6.8 kW	Black smooth	1072011	6,254.00	1072030	7,246.00
	Black smooth, LED	1072046	6,673.00	1072063	7,664.00
	Black Ceraglas	1072022	6,546.00	1072038	7,537.00
	Black Ceraglas, LED	1072055	6,965.00	1072071	7,956.00
	Matt glass	1073256	6,546.00	1073258	7,537.00
	Matt glass, LED	1073261	6,965.00	1073262	7,956.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.1 - 7.3 kW	Black smooth	1072012	6,254.00	1072031	7,246.00
	Black smooth, LED	1072048	6,673.00	1072064	7,664.00
	Black Ceraglas	1072023	6,546.00	1072039	7,537.00
	Black Ceraglas, LED	1072056	6,965.00	1072072	7,956.00
	Matt glass	1073134	6,546.00	1073137	7,537.00
	Matt glass, LED	1073140	6,965.00	1073142	7,956.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 110 mm, Build in depth 70 mm	1072077	520.00
	8-sided, Custom made	1072078	1,259.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Supporting frame	Maestro 60/3 Tall RCH	1067203	355.00
Cover plate	Maestro 60/3 Tall RCH	1065996	59.00



3-sided fireplaces

Maestro 80/3 RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.4 - 9.0 kW	Black smooth	1038559	6,217.00	1057020	7,208.00
	Black smooth, CV-glass	1038561	6,641.00	1057023	7,632.00
	Black smooth, LED	1069637	6,636.00	1069652	7,627.00
	Black smooth, LED, CV-glass	1069642	7,060.00	1069656	8,051.00
	Black Ceraglas	1038564	6,509.00	1057026	7,500.00
	Black Ceraglas, CV-glass	1038566	6,933.00	1057029	7,924.00
	Black Ceraglas, LED	1069646	6,928.00	1069659	7,919.00
	Black Ceraglas, LED, CV-glass	1069649	7,352.00	1069662	8,343.00
	Rib-Cast	1075884	6,509.00	1075979	7,500.00
	Rib-Cast, CV-glass	1075887	6,933.00	1075981	7,924.00
	Rib-Cast, LED	1075983	6,928.00	1075988	7,919.00
	Rib-Cast, LED, CV-glass	1075986	7,352.00	1075990	8,343.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.3 - 8.6 kW	Black smooth	1038560	6,217.00	1057021	7,208.00
	Black smooth, CV-glass	1038563	6,641.00	1057024	7,632.00
	Black smooth, LED	1069639	6,636.00	1069654	7,627.00
	Black smooth, LED, CV-glass	1069643	7,060.00	1069657	8,051.00
	Black Ceraglas	1038565	6,509.00	1057027	7,500.00
	Black Ceraglas, CV-glass	1038567	6,933.00	1057030	7,924.00
	Black Ceraglas, LED	1069647	6,928.00	1069660	7,919.00
	Black Ceraglas, LED, CV-glass	1069650	7,352.00	1069663	8,343.00
	Rib-Cast	1075885	6,509.00	1075980	7,500.00
	Rib-Cast, CV-glass	1075888	6,933.00	1075982	7,924.00
	Rib-Cast, LED	1075984	6,928.00	1075989	7,919.00
	Rib-Cast, LED, CV-glass	1075987	7,352.00	1075992	8,343.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.3 - 7.7 kW	Black smooth	1063351	6,217.00	1063357	7,208.00
	Black smooth, CV-glass	1063352	6,641.00	1063358	7,632.00
	Black smooth, LED	1069641	6,636.00	1069655	7,627.00
	Black smooth, LED, CV-glass	1069645	7,060.00	1069658	8,051.00
	Black Ceraglas	1063354	6,509.00	1063361	7,500.00
	Black Ceraglas, CV-glass	1063355	6,933.00	1063362	7,924.00
	Black Ceraglas, LED	1069648	6,928.00	1069661	7,919.00
	Black Ceraglas, LED, CV-glass	1069651	7,352.00	1069664	8,343.00
	Rib-Cast	1075634	6,509.00	1075644	7,500.00
	Rib-Cast, CV-glass	1075637	6,933.00	1075645	7,924.00
	Rib-Cast, LED	1075646	6,928.00	1075648	7,919.00
	Rib-Cast, LED, CV-glass	1075647	7,352.00	1075649	8,343.00



Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 110 mm, Build in depth 70 mm	1071381	520.00
	8-sided, Custom made	1044008	1,259.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Supporting frame	Maestro 80/3 RCH	1045149	348.00
Cover plate	Maestro 80/2 RCH LED	1071037	97.00
Wall panel	Rib-Cast 549 x 300 mm	1076625	193.00

¹ **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



3-sided fireplaces

Maestro 105/3-01 RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.2 - 9.3 kW	Black smooth	1072167	7,378.00	1072179	8,369.00
	Black smooth, CV-glass	1072170	7,855.00	1072182	8,846.00
	Black smooth, LED	1071746	7,797.00	1071763	8,788.00
	Black smooth, LED, CV-glass	1071754	8,274.00	1071766	9,265.00
	Black Ceraglas	1072173	7,807.00	1072185	8,798.00
	Black Ceraglas, CV-glass	1072176	8,284.00	1072188	9,275.00
	Black Ceraglas, LED	1071757	8,226.00	1071769	9,217.00
	Black Ceraglas, LED, CV-glass	1071760	8,703.00	1071772	9,694.00
	Rib-Cast	1076111	7,807.00	1076120	8,798.00
	Rib-Cast, CV-glass	1076116	8,284.00	1076124	9,275.00
	Rib-Cast, LED	1076127	8,226.00	1076136	9,217.00
	Rib-Cast, LED, CV-glass	1076131	8,703.00	1076141	9,694.00
	Set up for natural gas G25 (natural gas ,L') Thermal output range 1.8 - 8.7 kW	Black smooth	1072168	7,378.00	1072180
Black smooth, CV-glass		1072171	7,855.00	1072183	8,846.00
Black smooth, LED		1071747	7,797.00	1071764	8,788.00
Black smooth, LED, CV-glass		1071755	8,274.00	1071767	9,265.00
Black Ceraglas		1072174	7,807.00	1072186	8,798.00
Black Ceraglas, CV-glass		1072177	8,284.00	1072189	9,275.00
Black Ceraglas, LED		1071758	8,226.00	1071770	9,217.00
Black Ceraglas, LED, CV-glass		1071761	8,703.00	1071773	9,694.00
Rib-Cast		1076112	7,807.00	1076122	8,798.00
Rib-Cast, CV-glass		1076117	8,284.00	1076125	9,275.00
Rib-Cast, LED		1076129	8,226.00	1076139	9,217.00
Rib-Cast, LED, CV-glass		1076132	8,703.00	1076143	9,694.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.5 - 9.6 kW		Black smooth	1072169	7,378.00	1072181
	Black smooth, CV-glass	1072172	7,855.00	1072184	8,846.00
	Black smooth, LED	1071749	7,797.00	1071765	8,788.00
	Black smooth, LED, CV-glass	1071756	8,274.00	1071768	9,265.00
	Black Ceraglas	1072175	7,807.00	1072187	8,798.00
	Black Ceraglas, CV-glass	1072178	8,284.00	1072191	9,275.00
	Black Ceraglas, LED	1071759	8,226.00	1071771	9,217.00
	Black Ceraglas, LED, CV-glass	1071762	8,703.00	1071774	9,694.00
	Rib-Cast	1076113	7,807.00	1076123	8,798.00
	Rib-Cast, CV-glass	1076119	8,284.00	1076126	9,275.00
	Rib-Cast, LED	1076130	8,226.00	1076140	9,217.00
	Rib-Cast, LED, CV-glass	1076134	8,703.00	1076144	9,694.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 110 mm, Build in depth 70 mm	1071369	592.00
	8-sided, Custom made	1071371	1,329.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Support bracket	Set of 4 support brackets for a plateau	1033112	237.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Cover plate	Maestro 105/3-01 RCH LED	1071775	133.00
Wall panel	Rib-Cast 586 x 300 mm	1076626	193.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

3-sided fireplaces

Metro 100XT/3-41 RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226
RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H')	Black smooth	1033821	5,746.00	1057068	6,737.00
	Black smooth, CV-glass	1055121	6,106.00	1057071	7,097.00
Thermal output range 4.3 - 9.6 kW	Black Ceraglas	1033824	6,037.00	1057074	7,028.00
	Black Ceraglas, CV-glass	1047845	6,398.00	1057077	7,389.00
Set up for natural gas G25 (natural gas ,L')	Black smooth	1033822	5,746.00	1057069	6,737.00
	Black smooth, CV-glass	1055119	6,106.00	1057072	7,097.00
Thermal output range 3.3 - 9.0 kW	Black Ceraglas	1033825	6,037.00	1057075	7,028.00
	Black Ceraglas, CV-glass	1055118	6,398.00	1057078	7,389.00
Set up for liquified gas G31 (liquified gas ,propane gas')	Black smooth	1033823	5,746.00	1057070	6,737.00
	Black smooth, CV-glass	1055117	6,106.00	1057073	7,097.00
Thermal output range 4.1 - 9.1 kW	Black Ceraglas	1033826	6,037.00	1057076	7,028.00
	Black Ceraglas, CV-glass	1055116	6,398.00	1057079	7,389.00



Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 100 mm, Build in depth 64 mm	1037017	465.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Mounting kit	For plateau + appliance	1033111	329.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ²	1046783	47.00
Supporting frame	Metro 100XT/3-41 RCH	1012230	387.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



3-sided fireplaces

Metro 130XT/3 RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H')	Black smooth	1024676	6,445.00	1057142	7,436.00
	Black smooth, CV-glass	1055115	6,837.00	1057145	7,829.00
Thermal output range 5.1 - 10.8 kW	Black Ceraglas	1024679	6,875.00	1057148	7,866.00
	Black Ceraglas, CV-glass	1055114	7,267.00	1057151	8,258.00
Set up for natural gas G25 (natural gas ,L')	Black smooth	1024677	6,445.00	1057143	7,436.00
	Black smooth, CV-glass	1055113	6,837.00	1057146	7,829.00
Thermal output range 4.1 - 10.2 kW	Black Ceraglas	1024680	6,875.00	1057149	7,866.00
	Black Ceraglas, CV-glass	1055112	7,267.00	1057152	8,258.00
Set up for liquified gas G31 (liquified gas ,propane gas')	Black smooth	1066236	6,445.00	1066240	7,436.00
	Black smooth, CV-glass	1066237	6,837.00	1066241	7,829.00
Thermal output range 5.6 - 10.6 kW	Black Ceraglas	1066238	6,875.00	1066242	7,866.00
	Black Ceraglas, CV-glass	1066239	7,267.00	1066243	8,258.00

Combustion accessories	Description	Item no.	Price (€)
Logs	Set brown	1018288	448.00
	Set white	1018289	448.00
Carrara stones	Set	1018291	285.00
Greystone-stone	Set	1018292	316.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 100 mm, Build in depth 64 mm	1057154	534.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Mounting kit	For plateau + appliance	1033111	329.00
Shield box	Needed for tray installation	1076621	106.00
Glass cleaner	For CV-glass ²	1046783	47.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!





3-sided fireplaces XTL

Metro 100XTL-41 RCH left



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033839	5,746.00	1057092	6,737.00
	Black smooth, CV-glass	1055109	6,106.00	1057095	7,097.00
	Black Ceraglas	1033844	6,037.00	1057098	7,028.00
	Black Ceraglas, CV-glass	1055108	6,398.00	1057101	7,389.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033841	5,746.00	1057093	6,737.00
	Black smooth, CV-glass	1055105	6,106.00	1057096	7,097.00
	Black Ceraglas	1033845	6,037.00	1057099	7,028.00
	Black Ceraglas, CV-glass	1055103	6,398.00	1057102	7,389.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033842	5,746.00	1057082	6,737.00
	Black smooth, CV-glass	1055100	6,106.00	1057085	7,097.00
	Black Ceraglas	1033846	6,037.00	1057088	7,028.00
	Black Ceraglas, CV-glass	1055099	6,398.00	1057091	7,389.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 100 mm, Build in depth 64 mm, left	1037016	465.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ²	1046783	47.00
Base support	Metro 100XTL-41 RCH	1044391	1,569.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



3-sided fireplaces XTL

Metro 100XTL-41 RCH right



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033830	5,746.00	1057080	6,737.00
	Black smooth, CV-glass	1055107	6,106.00	1057083	7,097.00
	Black Ceraglas	1033833	6,037.00	1057086	7,028.00
	Black Ceraglas, CV-glass	1055106	6,398.00	1057089	7,389.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033831	5,746.00	1057081	6,737.00
	Black smooth, CV-glass	1055102	6,106.00	1057084	7,097.00
	Black Ceraglas	1033834	6,037.00	1057087	7,028.00
	Black Ceraglas, CV-glass	1055101	6,398.00	1057090	7,389.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033832	5,746.00	1057094	6,737.00
	Black smooth, CV-glass	1055098	6,106.00	1057097	7,097.00
	Black Ceraglas	1033835	6,037.00	1057100	7,028.00
	Black Ceraglas, CV-glass	1055097	6,398.00	1057103	7,389.00



Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 100 mm, Build in depth 64 mm, right	1037015	465.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ²	1046783	47.00
Base support	Metro 100XTL-41 RCH	1044391	1,569.00

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



3-sided fireplaces XTU

Maestro 75XTU RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.2 - 8.8 kW	Black smooth	1056010	6,731.00	1060699	7,723.00
	Black smooth, CV-glass	1056015	7,267.00	1060702	8,258.00
	Black smooth, LED	1068533	7,150.00	1068550	8,141.00
	Black smooth, LED, CV-glass	1068536	7,685.00	1068554	8,677.00
	Black Ceraglas	1056018	6,880.00	1060705	7,871.00
	Black Ceraglas, CV-glass	1056021	7,415.00	1060708	8,406.00
	Black Ceraglas, LED	1068540	7,299.00	1068558	8,290.00
	Black Ceraglas, LED, CV-glass	1068545	7,834.00	1068561	8,825.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.2 - 8.4 kW	Black smooth	1056013	6,731.00	1060700	7,723.00
	Black smooth, CV-glass	1056016	7,267.00	1060703	8,258.00
	Black smooth, LED	1068534	7,150.00	1068551	8,141.00
	Black smooth, LED, CV-glass	1068538	7,685.00	1068556	8,677.00
	Black Ceraglas	1056019	6,880.00	1060706	7,871.00
	Black Ceraglas, CV-glass	1056022	7,415.00	1060709	8,406.00
	Black Ceraglas, LED	1068542	7,299.00	1068559	8,290.00
	Black Ceraglas, LED, CV-glass	1068547	7,834.00	1068562	8,825.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.9 - 9.5 kW	Black smooth	1056014	6,731.00	1060701	7,723.00
	Black smooth, CV-glass	1056017	7,267.00	1060704	8,258.00
	Black smooth, LED	1068535	7,150.00	1068553	8,141.00
	Black smooth, LED, CV-glass	1068539	7,685.00	1068557	8,677.00
	Black Ceraglas	1056020	6,880.00	1060707	7,871.00
	Black Ceraglas, CV-glass	1056023	7,415.00	1060710	8,406.00
	Black Ceraglas, LED	1068544	7,299.00	1068560	8,290.00
	Black Ceraglas, LED, CV-glass	1068548	7,834.00	1068563	8,825.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 110 mm, Build in depth 70 mm	1071365	520.00
	8-sided, Custom made	1056536	1,259.00
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass	1046783	47.00
Supporting frame	Maestro 75XTU RCH	1066603	678.00
Cover plate	Maestro 75XTU RCH LED	1071039	97.00



3-sided fireplaces XTU

Maestro 75XTU Tall RCH



also available with PowerVent (PV)

Included in the scope of supply

Log set, brown

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H')	Matt glass	1089170	8,655.00	1089167	9,646.00
	Matt glass, LED	1089161	9,074.00	1089164	10,065.00
Thermal output range 1.5 - 9.0 kW	Black Ceraglas	1089158	8,655.00	1089155	9,646.00
	Black Ceraglas, LED	1089149	9,074.00	1089152	10,065.00
Set up for liquified gas G31 (liquified gas ,propane gas')	Matt glass	1089172	8,655.00	1089169	9,646.00
	Matt glass, LED	1089163	9,074.00	1089166	10,065.00
Thermal output range 1.5 - 9.0 kW	Black Ceraglas	1089160	8,655.00	1089157	9,646.00
	Black Ceraglas, LED	1089151	9,074.00	1089154	10,065.00



Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 110 mm, Build in depth 70 mm	1090588	594.00
	8-sided, Custom made	1090844	1,331.00
Cover plate	Maestro 75XTU Tall RCH LED	1071039	97.00



3-sided fireplaces XTU

Metro 100XTU-41 RCH



also available with PowerVent (PV)

Included in the scope of supply

Operating door no. 1021226

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Important

230V electrical connection required!

For orders with PowerVent, please note the components from page 70 onwards!

Please order a selection of the burner support when ordering!

Base support - available as an order option - standard frame included in scope of delivery

The panel is an optical design element and does not provide a support frame!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV	Item no.	Price (€) with PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 4.3 - 9.6 kW	Black smooth	1033002	5,757.00	1057104	6,748.00
	Black smooth, CV-glass	1055076	6,256.00	1057107	7,247.00
	Black Ceraglas	1033006	5,906.00	1057110	6,897.00
	Black Ceraglas, CV-glass	1054101	6,404.00	1057113	7,395.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.3 - 9.0 kW	Black smooth	1033004	5,757.00	1057105	6,748.00
	Black smooth, CV-glass	1055074	6,256.00	1057108	7,247.00
	Black Ceraglas	1033007	5,906.00	1057111	6,897.00
	Black Ceraglas, CV-glass	1055073	6,404.00	1057114	7,395.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 4.1 - 9.1 kW	Black smooth	1033005	5,757.00	1057106	6,748.00
	Black smooth, CV-glass	1055072	6,256.00	1057109	7,247.00
	Black Ceraglas	1033008	5,906.00	1057112	6,897.00
	Black Ceraglas, CV-glass	1055071	6,404.00	1057115	7,395.00

Combustion accessories Glass	Description	Item No.	Price (€)
Logs	Set brown	1033009	347.00
Carrara stones	Set	1010308	211.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Build in frame (no support frame)	8-sided, W = 100 mm	1037014	465.00
Extension feet	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ²	1046783	47.00
Supporting frame	Metro 100XTU-41 RCH	1066602	1,181.00
Base support	Metro 100XTU-41 RCH	1044391	1,569.00

² **IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!**



Front models Global RLU

Global 55XT BF RCE (RLU)



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.6 - 4.6 kW	Black smooth	1061883	3,557.00
	Black Ceraglas	1061886	3,763.00
	Classic	1061889	3,769.00
	Black smooth, CV-glass	1061892	3,700.00
	Black Ceraglas, CV-glass	1061895	3,907.00
	Classic, CV-glass	1061898	3,912.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.4 - 4.3 kW	Black smooth	1061884	3,557.00
	Black Ceraglas	1061887	3,763.00
	Classic	1061890	3,769.00
	Black smooth, CV-glass	1061893	3,700.00
	Black Ceraglas, CV-glass	1061896	3,907.00
	Classic, CV-glass	1061899	3,912.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.1 - 4.4 kW	Black smooth	1061885	3,557.00
	Black Ceraglas	1061888	3,763.00
	Classic	1061891	3,769.00
	Black smooth, CV-glass	1061894	3,700.00
	Black Ceraglas, CV-glass	1061897	3,907.00
	Classic, CV-glass	1061900	3,912.00



Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Front models Global RLU

Global 70XT BF-01 RCE (RLU)



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 3.4 - 5.7 kW	Black smooth	1061901	3,901.00
	Black Ceraglas	1061904	4,203.00
	Classic	1061907	4,389.00
	Black smooth, CV-glass	1061910	4,113.00
	Black Ceraglas, CV-glass	1061913	4,415.00
	Classic, CV-glass	1061916	4,601.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 3.1 - 5.3 kW	Black smooth	1061902	3,901.00
	Black Ceraglas	1061905	4,203.00
	Classic	1061908	4,389.00
	Black smooth, CV-glass	1061911	4,113.00
	Black Ceraglas, CV-glass	1061914	4,415.00
	Classic, CV-glass	1061917	4,601.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.2 - 5.5 kW	Black smooth	1061903	3,901.00
	Black Ceraglas	1061906	4,203.00
	Classic	1061909	4,389.00
	Black smooth, CV-glass	1061912	4,113.00
	Black Ceraglas, CV-glass	1061915	4,415.00
	Classic, CV-glass	1061918	4,601.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Glass cleaner	For CV-glass ¹	1046783	47.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00

¹ IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!



Front models Global RLU

Global 100 BF RCE (RLU)



Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance
RCE remote control

Important

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041470	3,689.00
	Black Ceraglas	1041473	3,991.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041471	3,689.00
	Black Ceraglas	1041474	3,991.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041472	3,689.00
	Black Ceraglas	1041475	3,991.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041476	304.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00





Front models Global RLU

Global 120 BF RCE (RLU)



Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance
RCE remote control

Important

Please order a selection of the burner support when ordering!

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041496	3,981.00
	Black Ceraglas	1041499	4,283.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041497	3,981.00
	Black Ceraglas	1041500	4,283.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041498	3,981.00
	Black Ceraglas	1041501	4,283.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041503	316.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



2-sided Global fireplaces RLU

Global 100 BF Corner RCE left (RLU)



Important

Please order a selection of the burner support when ordering!

Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041478	3,981.00
	Black Ceraglas	1041481	4,187.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041479	3,981.00
	Black Ceraglas	1041482	4,187.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041480	3,981.00
	Black Ceraglas	1041483	4,187.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041476	304.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00





2-sided Global fireplaces RLU

Global 100 BF Corner RCE right (RLU)



Important

Please order a selection of the burner support when ordering!

Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041484	3,981.00
	Black Ceraglas	1041487	4,187.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041485	3,981.00
	Black Ceraglas	1041488	4,187.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041486	3,981.00
	Black Ceraglas	1041489	4,187.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041476	304.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



2-sided Global fireplaces RLU

Global 120 BF Corner RCE left (RLU)



Important

Please order a selection of the burner support when ordering!

Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041504	4,278.00
	Black Ceraglas	1041507	4,580.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041505	4,278.00
	Black Ceraglas	1041508	4,580.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041506	4,278.00
	Black Ceraglas	1041509	4,580.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041503	316.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00





2-sided Global fireplaces RLU

Global 120 BF Corner RCE right (RLU)



Important

Please order a selection of the burner support when ordering!

Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041510	4,278.00
	Black Ceraglas	1041513	4,580.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041511	4,278.00
	Black Ceraglas	1041514	4,580.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041512	4,278.00
	Black Ceraglas	1041515	4,580.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041503	316.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



3-sided Global fireplaces RLU

Global 100 BF Triple RCE (RLU)



Important

Please order a selection of the burner support when ordering!

Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041490	4,161.00
	Black Ceraglas	1041493	4,368.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041491	4,161.00
	Black Ceraglas	1041494	4,368.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041492	4,161.00
	Black Ceraglas	1041495	4,368.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041476	304.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00





3-sided Global fireplaces RLU

Global 120 BF Triple RCE (RLU)



Important

Please order a selection of the burner support when ordering!

Included in the scope of supply

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.8 - 7.5 kW	Black smooth	1041516	4,437.00
	Black Ceraglas	1041519	4,739.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.6 - 7.1 kW	Black smooth	1041517	4,437.00
	Black Ceraglas	1041520	4,739.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 3.5 - 7.0 kW	Black smooth	1041518	4,437.00
	Black Ceraglas	1041521	4,739.00

Combustion accessories Glass	Description	Item no.	Price (€)
Logs	Set brown	1041503	316.00
Carrara stones	Set	1041477	233.00
Glass	Set, anthracite	1033210	347.00

Accessories	Description	Item no.	Price (€)
Extension feets	Set of 4 (H x W x D) 490 x 25 x 25 mm	1012238	91.00
Operating door	RCE version	1010286	158.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



Passo RCH



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Type of gas	Description Cladding	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.2 - 6.4 kW	Nero	1061863	6,143.00
	Titan	1061875	6,143.00
	Pearl	1061880	6,323.00
	Turquoise	1065258	6,461.00
	Light gray	1065263	6,461.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 0.9 - 6.1 kW	Nero	1061872	6,143.00
	Titan	1061879	6,143.00
	Pearl	1061881	6,323.00
	Turquoise	1065260	6,461.00
	Light gray	1065264	6,461.00

Accessories	Description	Item no.	Price (€)
Gas hose for gas socket according to EN 14800 ONLY mounted on the device, not individually orderable! *	L = 750 mm	1062883	159.00
	L = 1000 mm	1062884	164.00
	L = 1250 mm	1062885	167.00
	L = 1500 mm	1062886	169.00
Base plate glass	Ø 900 mm	1065557	224.00

*** The gas hose for the gas socket is mounted on the device and has been tested for leaks. This gas hose is available in different lengths.**

**** Is essential in order to operate the gas fireplace insert with a mobile device (Android / iOS).**





Circo RCE



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Cladding	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.9 - 7.0 kW	Black	1071610	5,051.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.7 - 6.0 kW	Black	1071611	5,051.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 2.8 - 6.2 kW	Black	1071612	5,051.00

Accessories	Description	Item no.	Price (€)
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



Convexo RCH



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCH remote control

Type of gas	Description Cladding	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.6 - 5.0 kW	Black smooth	1079292	5,300.00
	Black smooth, LED	1079314	5,550.00
	Black Ceraglas	1079311	5,449.00
	Black Ceraglas, LED	1079319	5,698.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 2.1 - 4.7 kW	Black smooth	1079294	5,300.00
	Black smooth, LED	1079316	5,550.00
	Black Ceraglas	1079312	5,449.00
	Black Ceraglas, LED	1079320	5,698.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 2.6 - 5.0 kW	Black smooth	1079310	5,300.00
	Black smooth, LED	1079318	5,550.00
	Black Ceraglas	1079313	5,449.00
	Black Ceraglas, LED	1079323	5,698.00

Accessories	Description	Item no.	Price (€)
Gas hose for gas socket according to EN 14800 ONLY mounted on the device, not individually orderable! *	L = 750 mm	1062883	159.00
	L = 1000 mm	1062884	164.00
	L = 1250 mm	1062885	167.00
	L = 1500 mm	1062886	169.00

*** The gas hose for the gas socket is mounted on the device and has been tested for leaks. This gas hose is available in different lengths.**





Trio RCE



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Type of gas	Description Cladding /Back wall combustion chamber Item no	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 2.0 - 4.5 kW	Black / Ceraglas	1076622	4,087.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.8 - 4.2 kW	Black / Ceraglas	1076623	4,087.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.5 - 4.0 kW	Black / Ceraglas	1076624	4,087.00

Accessories	Description	Item no.	Price (€)
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



Diablo Next RCE / Polo RCE



Included in the scope of supply

Log set, brown

Gas fitting and receiver for remote control integrated in the appliance

RCE remote control

Important

Cladding - must be ordered with appliance

Illustration: Diablo Next RCE, Polo RCE - cladding to the floor

Type of gas	Description Internal interiors	Item no.	Price (€) without PV
Set up for natural gas G20 (natural gas ,H') Thermal output range 1.6 - 4.1 kW	Black smooth	1036939	3,021.00
	Black Ceraglas	1036942	3,170.00
Set up for natural gas G25 (natural gas ,L') Thermal output range 1.5 - 3.8 kW	Black smooth	1036940	3,021.00
	Black Ceraglas	1036943	3,170.00
Set up for liquified gas G31 (liquified gas ,propane gas') Thermal output range 1.6 - 3.8 kW	Black smooth	1036941	3,021.00
	Black Ceraglas	1036944	3,170.00

Accessories	Description	Item no.	Price (€)
Cladding	Diablo Next RCE, black	1033201	583.00
	Diablo Next RCE, aluminium metallic	1036946	583.00
	Polo RCE, black (cladding to the floor)	1053971	1,299.00
Decorative pipe cover	Diablo Next RCE / Polo RCE, black	1031807	655.00
	Diablo Next RCE / Polo RCE, aluminium metallic	1031808	547.00
Adapter	Power supply 230 VAC - 6V DC for RCE	1010285	63.00



Accessories

Convection air boxes with plastered frame

Important

It is not possible to combine lightning appliances and a fan on the same item.

A decorative design element which can also be fitted with lighting appliances and controlled with the DRU remote control unit.
Free cross section: approx. 100 cm²



Lighting appliance - 2 units required for each air box



Lux Sleeve – Ivory



Lux Lignum - Set of convection hoses Ø 150 mm



Lux Omni - Lighting appliance



Lux - Ivory for Promatect wall

Article	Description	Item no.	Price (€)
Lux	Ivory for Promatect wall	1010288	182.00
	Lighting appliance ¹	1010294	111.00
Lux Omni	Ivory	1010290	182.00
	Lighting appliance ¹	1010294	111.00
Lux Fino	Ivory	1013598	182.00
	Anthracite	1013599	182.00
	Lighting appliance ¹	1013600	133.00
Lux Sleeve	Ivory	1010292	182.00
Lux Lignum	Ivory	1012828	199.00
	Set of convection hoses Ø 150 mm	1045668	222.00
Light installation kit	For lighting appliance (set for 2 Lignum)	1012834	56.00
Lighting appliance	2 units required for each air box	1010294	111.00

¹ Lighting appliance comprises lamp holder with 3 m electric cable and a lamp 1 x 40 W



Glass cleaner – For CV-glass ²



Operating door – For placement of gas control block

Article	Description	Item no.	Price (€)
Glass cleaner	For CV-glass ²	1046783	47.00
Luminescent wool		1016186	27.00
Operating door	For placement of gas control block	1021226	158.00
Paint spray, 400 ml	Aluminium-metallic	1033286	39.00
	Anthracite	1013838	42.00
	Black	1037675	42.00
	Anthracite, for decorative panel	1047579	39.00

¹ Is essential in order to operate the gas fireplace insert with a mobile device (Android / iOS).

² IMPORTANT! Only this glass cleaner assures safe operation, other products can destroy the coating!

Air exhaust system (LAS)

Important

DRU balanced flue gas fireplace inserts must always be installed with the DRU air exhaust system (LAS).

If a different exhaust system (exhaust line) is installed, the approval for the entire combustion system is rendered null and void.

For the professional planning of exhaust systems, in particular in relation to combustion systems for gaseous fuels, as well as the following specifications, due account must also be taken of the specifications as well as the provisions of the relevant federal construction ordinance, combustion directive and TRGI.

- Opening above roof level / opening on the facade: Attention must be paid to specific local and federal specifications, and to minimum distances to windows and apertures.
- Locking band: Every pipe joint needs to have a Locking band - included in the scope of delivery.

Technical data for air exhaust systems:

Type of construction: concentric exhaust lines

Exhaust temperature: approx. 450 °C

Fuel: gas

Application: balanced flue fireplaces (classes C₁₁, C₃₁ und C₉₁)

Inspection and CE marking always jointly with the DRU gas appliance

Examples of systems (schematic)

Always pay attention to the specifications and provisions of the relevant building regulations, firing regulations and TRGI to assure professional planning of exhaust systems.



C₁₁



C₃₁



C₉₁

Air exhaust system (LAS) 200/150/100 mm Gloss-finish stainless steel

Important

Always pay attention to the specifications and provisions of the relevant building regulations, firing regulations and TRGI to assure professional planning of exhaust systems.

Our LAS brochure is available for you as a planning aid. It contains detailed information.

Insulated air-exhaust system for outdoor areas



Article	Description	Item no.	Price (€)
Adapter	Stainless steel, Ø 150/100 mm, LAS Ø 200/150/100 mm	1045578	178.00
Wall rosette	Ø 200 mm, 330 x 330 mm	1045579	67.00
Telescopic external wall aperture	Stainless steel, Ø 200/150/100 mm telescopic 300 - 450 mm, insulated	1046898	408.00
T-piece	T-piece, Ø 200/150/100 mm, insulated	1045580	499.00
Wall console	Ø 200/150/100 mm, adjustable 130 - 180 mm	1045581	337.00
Extension bracket for wall console	Stainless steel, Ø 200/150/100 mm, adjustable 130 - 360 mm	1063215	211.00
Condensation trap.	Stainless steel, Ø 200/150/100 mm, insulated	1045582	223.00
Tube	Stainless steel, Ø 200/150/100 mm, insulated, L = 1000 mm	1045583	358.00
	Stainless steel, Ø 200/150/100 mm, insulated, L = 500 mm	1045584	251.00
	Stainless steel, Ø 200/150/100 mm, insulated, L = 250 mm	1046896	200.00
	Stainless steel, Ø 200/150/100 mm, insulated, L = 320 - 450 mm telescopic	1063601	379.00
Bend 45°	Stainless steel, 200/150/100 mm, insulated	1045585	318.00
Bend 30°	Stainless steel, 200/150/100 mm, insulated, segmented	1045586	302.00
Roof support	Ø 200 mm, galvanised	1045587	122.00
Universal lead tile	Lead free, 25°- 55°	1077148	256.00
Flat roof aperture	0°, aluminium unpainted, 625 x 625 mm, Ø 200 mm	1047293	133.00
Storm collar	Stainless steel, Ø 200 mm	1046897	60.00
Roof terminal cap	Stainless steel, Ø 200/150/100 mm	1045590	274.00
Wall mounting bracket	Stainless steel, Ø 200 mm, adjustable 130 - 180 mm	1045591	79.00
Extension for wall mounting bracket	Stainless steel, Ø 200 mm, adjustable 210 - 450 mm	1075247	64.00
Flat roof-ceiling connection element	Stainless steel Ø 200/150/100 mm, insulated	1045592	241.00
Inspection T-piece	Stainless steel, 200/150/100 mm, insulated	1046895	512.00
Locking band	Stainless steel Ø 200/150/100 mm with screw	1046899	50.00

Air exhaust system (LAS) 150/100 mm Gloss-finish stainless steel

Article	Description	Dimension inside /outside in mm	Item no.	Price (€)
Length element	1000 mm	150/100	1010337	125.00
	1000 mm, black, painted ¹	150/100	1032286	149.00
	1000 mm, aluminium-metallic, painted ¹	150/100	1032287	149.00
	500 mm, can be shortened	150/100	1010338	93.00
	500 mm, black, painted, can be shortened ¹	150/100	1032288	117.00
	500 mm, aluminium-metallic, painted, can be shortened ¹	150/100	1032289	117.00
Length compensating element	275 - 390 mm, telescopic	150/100	1010339	134.00
Bend 90°	Ribbed	150/100	1010340	126.00
	Gloss, black, painted ¹	150/100	1032290	157.00
	Gloss, aluminium-metallic, painted ¹	150/100	1032291	157.00
	Glatt, mit Inspektionsöffnung	150/100	1012627	228.00
	Galvanised stainless steel, black, painted, with inspection aperture ¹	150/100	1045691	257.00
	Galvanised, aluminium-metallic, painted with inspection aperture ¹	150/100	1045692	257.00
Bend 45°	Stainless steel, ribbed, set of 2 pieces	150/100	1010342	192.00
	Smooth, black, painted, set of 2 pieces ¹	150/100	1045672	356.00
	Smooth, aluminium-metallic, painted, set of 2 pieces ¹	150/100	1053905	356.00
	Segmented, set of 2 pieces	150/100	1045674	231.00
Bend 90°	Ribbed, eccentric	150/100	1041537	152.00
	Segmented	150/100	1045673	152.00
Bend 30°	Ribbed	150/100	1013620	92.00
	Segmentiert	150/100	1045675	112.00
Bend 15°	Ribbed	150/100	1013621	92.00
	Segmented	150/100	1045676	112.00
Set of roof terminal caps	BD 300, black, only for C ₃₁ installation	150/100	1010343	234.00
	BD 580, black, only for C ₃₁ installation	150/100	1012630	289.00
Extension over roof	Black, L = 500 mm	150/100	1033079	131.00
Roof terminal cap	For flex tube, black, only for C ₉₁ installation	150/100	1010344	202.00
	For flex tube, unpainted, only for C ₉₁ installation	150/100	1045671	185.00
Bird protection set	Stainless steel, for roof terminal/chimney top, unpainted	150/100	1066003	24.00
External wall aperture	Stainless steel, unpainted	150/100	1010345	198.00
Flat roof aperture	0°, aluminium, Ø 430 mm - Ø 150 mm		1010346	44.00
Roof aperture	Adjustable 0 - 25°, aluminium	650 - 150	1046205	360.00
	15°- 60°, lead free	150	1077147	110.00
Wall rosette	220 x 220 mm, black, painted ¹	150	1032293	43.00
	220 x 220 mm, aluminium, for Diablo Next and Polo, black	156	1046207	53.00
	220 x 220 mm, aluminium, for Diablo Next and Polo, aluminium-metallic ¹	156	1032294	53.00
Inspection element	L = 265 mm, straight	150/100	1045683	325.00
	L = 265 mm, black, straight	150/100	1068577	360.00
Inspection T-piece	Incl. 2 measurement aperture, L = 270 mm	150/100	1012624	288.00
	Incl. 2 measurement aperture, L = 270 mm, black, painted ¹	150/100	1045685	311.00
	Incl. 2 measurement aperture, L = 270 mm, aluminium-metallic, painted ¹	150/100	1045686	311.00
Element with measurement apertures	L = 160 mm, incl. 2 measurement aperture	150/100	1012625	126.00
	L = 160 mm, black, painted, incl. 2 measurement aperture ¹	150/100	1045688	148.00
	L = 160 mm, alu-metallic lacquered, incl. 2 measurement aperture ¹	150/100	1045689	148.00
Wall mounting bracket		150	1030278	13.00

¹ Tube sections in special colours for the Diablo Next model

Accessories

Air exhaust system (LAS) 150/100 mm

Important

Only use the flexible stainless steel system inside the shaft on models with C₉, approval or after consultation with the chimney sweeper!

Flexible stainless steel tube (for existing stack)

Article	Description	Dimension in mm	Item no.	Price (€)
Flexible stainless steel tube	Roll: 6 m incl. 1st transition piece, rigid, on flex	100	1017018	553.00
	Roll: 11 m incl. 1st transition piece, rigid, on flex	100	1017019	948.00
	Spacer for flex tube	100	1045694	35.00
Chimney connection	Stainless steel for later expansion with flexible stainless steel tube in the shaft	150/100	1030280	226.00
	Stainless steel for later expansion with LAS system in the shaft	150/100	1030281	233.00
Transition piece	Flex and rigid ¹	100	1047363	66.00
Element with measurement apertures	For flexible tube, L = 266 mm, stainless steel	100	1063600	141.00

¹ When using flexible stainless steel tube from residual stock

Air exhaust system (LAS) 200/130 mm Gloss-finish stainless steel

Important

Roof aperture / Roof terminal cap is always made in Ø 100/150 mm. Therefore always order reducer at the same time.

Article	Description	Dimension in mm	Item no.	Price (€)
Length element	1000 mm	200/130	1012618	164.00
	500 mm, can be shortened	200/130	1012619	132.00
Length compensating element	355 - 495 mm	200/130	1032292	192.00
Bend 90°	Ribbed	200/130	1012620	162.00
	Stainless steel, segmented	200/130	1045679	226.00
Bend 45°	Ribbed, per piece	200/130	1012621	144.00
	Stainless steel, segmented, per piece	200/130	1045680	179.00
Bend 30	Stainless steel, ribbed	200/130	1045677	135.00
Bend 30°	Stainless steel, segmented	200/130	1045681	169.00
Bend 15°	Stainless steel, ribbed	200/130	1045678	135.00
	Stainless steel, segmented	200/130	1045682	169.00
External wall aperture	Stainless steel, unpainted	200/130	1012622	254.00
Inspection element	Straight, L = 265 mm	200/130	1045693	403.00
Inspection element T-piece	Including 2 measurement aperture, L = 355 mm	200/130	1013622	376.00
Element with measurement aperture	Including 2 measurement aperture, L = 160 mm	200/130	1013623	140.00
Reducer	Ø 200/130 mm to Ø 150/100 mm	200/130	1012623	134.00
Bend 90°	With inspection aperture	200/130	1021897	328.00
Wall mounting bracket		200	1030279	21.00

Components Passo G

Components Passo G

Article	Description	Item no.	Price (€)
Premium components - painted in oven colours - visible	Tube galva stainless steel 1000 mm, Nero	1063790	235.00
	Tube galva stainless steel 1000 mm, Titan	1063949	235.00
	Tube galva stainless steel 1000 mm, Pearl	1063950	272.00
	Tube galva stainless steel 500 mm, can be shortened, Nero	1063791	214.00
	Tube galva stainless steel 500 mm, can be shortened, Titan	1063957	214.00
	Tube galva stainless steel 500 mm, can be shortened, Pearl	1063958	257.00
	Bend galva stainless steel 90°, smooth, Nero	1063792	257.00
	Bend galva stainless steel 90°, smooth, Titan	1063951	257.00
	Bend galva stainless steel 90°, smooth, Pearl	1063952	286.00
	Bend galva stainless steel 45°, smooth, Nero, set of 2 pieces	1064679	544.00
	Bend galva stainless steel 45°, smooth, Titan, set of 2 pieces	1064680	544.00
	Bend galva stainless steel 45°, smooth, Pearl, set of 2 pieces	1064681	567.00
	External wall aperture stainless steel, Nero	1065748	493.00
	External wall aperture stainless steel, Titan	1065750	414.00
	External wall aperture stainless steel, Pearl	1065749	426.00
	Wall rosette aluminium, Nero	1063793	84.00
	Wall rosette aluminium, Titan	1063953	84.00
	Wall rosette aluminium, Pearl	1063954	84.00
	Tube 1000 mm, revision, inspection element and 2 measurement aperture, Nero	1063794	856.00
	Tube 1000 mm, revision, inspection element and 2 measurement aperture, Titan	1063955	856.00
Tube 1000 mm, revision, inspection element and 2 measurement aperture, Pearl	1063956	898.00	
Components - painted in black - visible	Tube galva stainless steel, 1000 mm, black	1032286	149.00
	Tube galva stainless steel, 500 mm, can be shortened, black	1032288	117.00
	Bend galva stainless steel 90°, smooth, black	1032290	157.00
	Bend galva stainless steel 90°, smooth, black, with measurement aperture	1045691	257.00
	Bend galva stainless steel 45°, smooth, black, set of 2 pieces	1045672	356.00
	Tube galva stainless steel, L = 160 mm, incl. 2 measurement aperture, black	1045688	148.00
	Inspection T-piece, stainless steel, L = 270 mm, incl. 2 measurement aperture, black	1045685	311.00
Universal components - unpainted - concealed area	Adapter stainless steel	1063599	211.00
	Wall mounting bracket 150 mm	1030278	13.00
	Tube stainless steel 1000 mm	1010337	125.00
	Tube stainless steel 500 mm, can be shortened	1010338	93.00
	Tube stainless steel 500 mm, can be shortened	1012619	132.00
	Tube stainless steel 1000 mm	1012618	164.00
	Bend stainless steel 30°, ribbed	1010340	126.00
	Bend galva stainless steel 90°, with measurement aperture	1012627	228.00
	Bend stainless steel 45°, ribbed, set of 2 pieces	1010342	192.00
	Bend stainless steel 30°, ribbed	1013620	92.00
	Bend stainless steel 15°, ribbed	1013621	92.00
	Set of roof terminal caps, stainless steel, BD 300, outside black RAL 9005	1010343	234.00
	Set of roof terminal caps, stainless steel, BD 580, outside black RAL 9005	1012630	289.00
	Bird protection set	1066003	24.00
	External wall aperture stainless steel, unpainted	1010345	198.00
	External wall aperture stainless steel, unpainted	1012622	254.00
	Inspection element L = 265 mm, straight	1045683	325.00
Extension over roof L = 500 mm, outside black RAL 9005	1033079	131.00	
Flat roof tile 0° (aluminium plate round)	Flat roof tile 0° (aluminium plate round)	1010346	44.00
Universal components - unpainted - concealed area	Sloping roof tile aluminium 0 - 25°	1046205	360.00
	Chimney connection for later expansion with LAS system in the shaft	1030281	233.00
Universal components - for C ₉₁ connection - concealed area	Flex tube, stainless steel, roll with 6 m incl. 1 adapter	1017018	553.00
	Flex tube, stainless steel, roll with 11 m incl. 1 adapter	1017019	948.00
	Spacer for flex tube	1045694	35.00
	Inspection element L = 266 mm, for flex tube	1063600	141.00
	Chimney connection for flexible stainless steel tube in the shaft	1030280	226.00
	Set of roof terminal caps for flex tube, black RAL 9005	1010344	202.00
	Set of roof terminal caps for flex tube, outside unpainted	1045671	185.00
	Bird protection set	1066003	24.00

Accessories

PowerVent®2.0



You will find an up-to-date overview of models suitable for PowerVent® 2.0 and the respective tube lengths required at www.druservice.com.

Important

The PowerVent®2.0 system is only approved/suitable for room air independent DRU.

One of the following fan units must be ordered in addition to the unit!

PowerVent®2.0 orders:

Please note that a complete PowerVent®2.0 order always consists of the appropriate gas appliance, an additional fan unit and the required pipe material must exist.

Article	Description	Item no.	Price (€)
PowerVent®2.0	Fan unit for outer wall black grey	1060573	1,490.00
	Fan unit for roof black grey	1060574	1,490.00
Mounting bracket	For PowerVent fan unit with roof terminal. When mounting the fan unit under a flat / pitched roof.	1017730	77.00
Combustion / exhaust element	Is installed in fan unit when mounted above roof level. For installation of fan unit below flat or pitched roof.	1017728	170.00
Aluminium roof aperture	Adhesive panel for flat roof. For installation of fan unit below flat or pitched roof.	1017729	183.00

You will find an up-to-date overview of models suitable for PowerVent® 2.0 and the respective tube lengths required at www.druservice.com

PowerVent®2.0



Air exhaust system (LAS) Ø 100/60 mm galvanised aluminium

Important

Reducers - Must be used with the PowerVent®2.0 system!

Reducers as a transition from nozzles of the DRU gas fireplace insert to LAS Ø 100/60 mm - only in combination with the PowerVent® 2.0 system!

Article	Description	Item no.	Price (€)
Reducer	Ø 150/100 mm to Ø 100/60 mm	1017708	116.00
	Ø 200/130 mm to Ø 100/60 mm	1036919	138.00
Length element	2000 mm, unpainted, Ø 100/60 mm	1018630	147.00
	2000 mm, anthrazit lackiert, Ø 100/60 mm	1018631	173.00
	1000 mm, unpainted, Ø 100/60 mm	1017712	88.00
	1000 mm, anthracite, painted, Ø 100/60 mm	1017725	126.00
	500 mm, unpainted, can be shortened, Ø 100/60 mm	1017711	74.00
	500 mm, anthracite, painted, can be shortened, Ø 100/60 mm	1017726	94.00
Length compensating element	Unpainted, 325 - 440 mm, telescopic, Ø 100/60	1017720	113.00
Bend 90°	Gloss, unpainted, Ø 100/60	1017709	73.00
	Smooth, anthracite painted, Ø 100/60	1017727	93.00
Bend 45°	Smooth, unpainted, set of 2 pieces, Ø 100/60	1017710	135.00
Bend 30°	Galvanised aluminium, ribbed, Ø 100/60	1024700	80.00
Bend 15°	Galvanised aluminium, ribbed, Ø 100/60	1024701	80.00
Set for roof aperture	Roof terminal alu-galva, Ø 100/60, BD300, black	1017713	193.00
	Roof terminal alu-galva Ø 100/60, BD580, black	1017714	271.00
With inspection aperture	Ø 100/60, alu-galva, black	1017718	147.00
Flat roof aperture	0°, aluminium, Ø 100 - Ø 350	1017716	51.00
Roof aperture	15° - 60°, lead free, Ø 100 mm	1077144	110.00
Rosette	220 x 220 mm, aluminium, Ø 100 mm	1017715	43.00
Inspection-T-piece	L = 260 mm, incl. 2 measurement aperture, alu-galva, Ø 100 mm	1017722	190.00
Element with measurement aperture	Pipe alu-galva, L = 165 mm, incl. 2 measurement aperture, Ø 100/60	1017723	94.00
Element with condensation trap	Alu-galva, Ø 100/60 mm, horizontal/vertical, connection Ø 32 mm	1017721	113.00
Waterless odour trap	Connection Ø 32 mm, complete set	1047528	147.00
Wall mounting bracket	Ø 100 mm	1030277	11.00

For the professional planning of exhaust systems, always pay attention to the specifications and provisions of the relevant federal construction ordinance, combustion directive and TRGI stipulations.

Our LAS brochure is available as a planning aid. It contains detailed information.

Accessories

Gas hose for gas socket according to EN 14800

The gas hose for the gas socket is mounted on the device and has been tested for leaks. This gas hose is available in different lengths.



Important

ONLY mounted on the device, not individually orderable!

Article	Description	Item no.	Price (€)
Gas hose for gas socket according to EN 14800	L = 750 mm	1062883	159.00
	L = 1000 mm	1062884	164.00
	L = 1250 mm	1062885	167.00
	L = 1500 mm	1062886	169.00

i am  since 1754



www.facebook.com/Spartherm

www.instagram.com/spartherm

www.youtube.com/sparthermgermany

www.spartherm.com



Spartherm Feuerungstechnik GmbH
Maschweg 38 | 49324 Melle | Tel.: +49 5422 9441-0

DRU Verwarming B.V. is a member of the Spartherm Group



since
1754



BY APPOINTMENT OF
THE COURT OF THE NETHERLANDS